

Warringah Pittwater Bush Fire Management Committee

Bush Fire Risk Management Plan

| | |
|---|-------------------------------------|
| Table of Contents | |
| <i>Glossary</i> | 6 |
| <i>Chapter 1. Introduction</i> | 8 |
| 1.1 Background | 8 |
| 1.2 Aim and Objectives | 8 |
| 1.3 Description of the Warringah Pittwater BFMC Area | 9 |
| 1.3.1 Location and land tenure | 9 |
| 1.3.2 Climate and bush fire season | 9 |
| 1.3.3 Population and demographic information | 9 |
| 1.3.4 History of bush fire frequency and ignition cause | 9 |
| <i>Chapter 2. Identifying and Assessing the Bush Fire Risk</i> | 10 |
| 2.1 Process | 10 |
| 2.2 Communication and Consultation | 10 |
| 2.3 Identifying the Bush Fire Risk | 11 |
| 2.3.1 Assets | 11 |
| 2.3.2 Assessing the Bush Fire Risk - Consequence | 12 |
| 2.3.3 Assessing the Bush Fire Risk - Likelihood | 13 |
| 2.3.4 Identifying the level of risk | 13 |
| 2.3.5 Evaluating the Bush Fire Risk | 13 |
| 2.3.6 Prioritising Treatments | 13 |
| 2.3.7 Risk Acceptability | 13 |
| <i>Chapter 3. Treating the Risk</i> | 15 |
| 3.1 Bush Fire Management Zones | 15 |
| 3.2 BFMC Wide Treatments | 17 |
| 3.3 Asset Specific Treatments | 19 |
| 3.4 Fire Thresholds | 20 |
| 3.5 Annual Works Programs | 20 |
| 3.6 Implementation | 20 |
| <i>Chapter 4. Performance Monitoring and Reviewing</i> | 21 |
| 4.1 Review | 21 |
| 4.2 Monitoring | 21 |
| 4.3 Reporting | 21 |
| 4.4 Performance Measurements | 21 |
| <i>Appendix 1 Community Participation Strategy</i> | 22 |
| <i>Appendix 2 Asset Register</i> | 25 |
| <i>Appendix 3 Treatment Register</i> | <i>Error! Bookmark not defined.</i> |
| <i>Appendix 4 Maps 1 - 4</i> | 185 |

List of Tables

| | |
|--|----|
| <i>Table 1.1 Land Tenure</i> | 9 |
| <i>Table 3.1 Bush Fire Management Zones: Purpose, objectives and characteristics</i> | 16 |
| <i>Table 3.2 Asset specific treatments used in the Warringah Pittwater BFMC area</i> | 19 |
| <i>Table 3.3 Fire Thresholds for Vegetation Categories</i> | 20 |

List of Figures

| | |
|---|----|
| <i>Figure 2.1 Overview of the risk assessment process</i> | 10 |
|---|----|

Authorisation

In accordance with Part 3 Division 4 of the Rural Fires Act 1997, this Draft Plan has been prepared by the Warringah Pittwater Bush Fire Management Committee and has been endorsed at the BFMC meeting on ~~date~~ for submission to the Bush Fire Coordinating Committee.

1 June 2010

Recommended

Councillor Ian White - Chairperson
Warringah Pittwater Bush Fire Management Committee



Approved



.....
Shane Fitzsimmons, AFSM 22-9-10
Chairman
NSW Bush Fire Coordinating Committee

On behalf of the
NSW Bush Fire Coordinating Committee

Amendment List

| Amendment | | Entered | |
|-----------|------|-----------|------|
| Number | Date | Signature | Date |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Glossary

Assets: anything valued by the community which includes houses, crops, heritage buildings and places, infrastructure, the environment, businesses, and forests, that may be at risk from bush fire.

Bush Fire: a general term used to describe fire in vegetation, includes grass fire.

Bush Fire Hazard: the potential severity of a bush fire, which is determined by fuel load, fuel arrangement and topography under a given climatic condition.

Bush Fire Risk: the chance of a bush fire igniting, spreading and causing damage to the community or the assets they value.

Bush Fire Risk Management: a systematic process that provides a range of treatments which contribute to the well being of communities and the environment, which suffer the adverse effects of wildfire/bush fire.

Bush Fire Threat: potential bush fire exposure of an asset due to the proximity and type of a hazard and the slope on which the hazard is situated.

Consequence: outcome or impact of a bush fire event.

Fire Fighting Authorities: the NSW Rural Fire Service, NSW Fire Brigades, the National Parks and Wildlife Service and Forests NSW.

Likelihood: the chance of a bush fire igniting and spreading.

Major Bush Fire: A bush fire which requires the attendance of multiple brigades, or causes damage to property or injury to one or more persons.

Display area: geographic area determined by the Bush Fire Management Committee which is used to provide a suitable area and scale for community participation and mapping display purposes.

Recovery costs: the capacity of an asset to recover from the impacts of a bush fire.

Risk Acceptance: an informed decision to accept the consequences and the likelihood of a particular risk.

Risk Analysis: a systematic process to understand the nature of and to deduce the level of risk.

Risk Assessment: the overall process of risk identification, risk analysis and risk evaluation.

Risk Identification: the process of determining what, where, when, why, and how something could happen.

Risk Treatment: the process of selection and implementation of measures to modify risk.

Vulnerability: the susceptibility of an asset to the impacts of bush fire.

Chapter 1. Introduction

1.1 Background

Under the *Rural Fires Act 1997* the Bush Fire Coordinating Committee (BFCC) must constitute a Bush Fire Management Committee (BFMC) for each area in the State, which is subject to the risk of bush fires. Each BFMC is required to prepare and submit to the BFCC a draft Bush Fire Risk Management Plan (BFRMP).

A BFRMP is a strategic document that identifies community assets at risk and sets out a five-year program of coordinated multi-agency treatments to reduce the risk of bush fire to the assets. Treatments may include such things as hazard reduction burning, grazing, community education, fire trail maintenance and establishing community fireguard groups.

Annual programs to implement the treatments identified in this plan will be undertaken by the relevant land managers and fire fighting authorities.

In exercising its functions under the *Rural Fires Act 1997*, including the preparation of a draft bush fire risk management plan, the Warringah Pittwater BFMC is required to have regard to the principles of ecologically sustainable development (ESD).

This document and the accompanying maps together form the BFRMP for the Warringah Pittwater BFMC area.

This BFRMP has been prepared by the Warringah Pittwater BFMC and covers both public and private lands. This BFRMP must be reviewed and updated within each successive five-year period from the constitution of the BFMC.

The BFCC recognises that climate change has the potential to increase bush fire risk. The risk assessment process applied in this BFRMP is based on current climatic conditions. The BFCC will monitor information on climate change and will modify the process when necessary.

1.2 Aim and Objectives

The **aim** of this BFRMP is to minimise the risk of adverse impact of bush fires on life, property and the environment.

The **objectives** of this BFRMP are to:

- reduce the number of human-induced bush fire ignitions that cause damage to life, property and the environment;
- manage fuel to reduce the rate of spread and intensity of bush fires, while minimising environmental/ecological impacts;
- reduce the community's vulnerability to bush fires by improving its preparedness; and
- effectively contain fires with a potential to cause damage to life, property and the environment.

1.3 Description of the Warringah Pittwater BFMC Area

1.3.1 Location and land tenure

The *Warringah* Pittwater BFMC area is located in Northern Beaches Area of Sydney New South Wales and includes the Local Government Areas of Warringah and Pittwater.

The area covered by the Warringah Pittwater BFMC 27,456 hectares and includes the land tenures outlined in Table 1.1.

| Land Manager* | % of BFMC area |
|-----------------------------------|-----------------------|
| National Parks & Wildlife Service | 40 |
| Department of Lands | 5 |
| Local Government | 16 |
| Private | 35 |
| All other | 4 |

Table 1.1 Land Tenure

1.3.2 Climate and bush fire season

The typical / average climate in the Warringah Pittwater BFMC area is for uniform rainfall throughout the year, although higher rainfall can be experienced in the months of February to March and the bush fire season generally runs from October to March.

Prevailing weather conditions associated with the bush fire season in the Warringah Pittwater BFMC area are North-westerly winds accompanied by high daytime temperatures and low relative humidity.

1.3.3 Population and demographic information

The population of the Warringah Pittwater BFMC area is approximately 201,000. The major population centres are *in the eastern and southern areas of the LGAs*.

1.3.4 History of bush fire frequency and ignition cause

The *Warringah Pittwater* BFMC area has on average 48 bush fires per year, of which 7 to 5 years on average can be considered to be major fires.

The main sources of ignition in the Warringah Pittwater BFMC area are of a suspicious nature.

Chapter 2. Identifying and Assessing the Bush Fire Risk

2.1 Process

The Australia/New Zealand Standard *AS/NZS 4360: 2004 Risk Management* was used as the basis for the risk assessment process. See Figure 2.1 for the steps involved. For a detailed description of the process undertaken see the Bush Fire Risk Management Planning Guidelines for Bush Fire Management Committees on the RFS website: www.rfs.nsw.gov.au.




Figure 2.1 Overview of the risk assessment process

2.2 Communication and Consultation

Community participation is an integral part of risk management. The Community Participation Strategy involved developing and implementing a process to address the needs, issues and concerns of stakeholders within the BFMC area in regards to the BFRMP. See Appendix 1 for the Community Participation Strategy used by the Warringah Pittwater BFMC in preparing this BFRMP.

2.3 Identifying the Bush Fire Risk

Identifying the level of bush fire risk firstly involved identifying important community assets considered to be at risk from bush fire in the Warringah Pittwater BFMC area, and then assessing the likelihood and consequence ratings.

2.3.1 Assets

BFMC members and the community, including RFS volunteers, identified assets within the Warringah Pittwater BFMC that they believed were at risk of bush fire.

The assets were divided into four asset types:

Human settlement

- Residential areas including urban bushland interface areas and rural properties;
- Special Fire Protection areas including schools, hospitals, nursing homes, and tourist facilities; and
- Other human settlement areas including commercial and industrial areas where distinct from major towns.

Economic

- Agricultural; e.g. major silos, regional saleyards, cropping/grazing land;
- Commercial/industrial e.g. major industries, waste treatment plants, sawmills;
- Infrastructure e.g. large power lines, gas and oil pipelines, railway lines, electricity substations, communication facilities;
- Tourist and recreational e.g. tourist sites and facilities, resorts, retreats;
- Mines;
- Commercial forests e.g. pine plantations, eucalypt plantations and commercial native forests; and
- Drinking water catchments.

Environmental

- Threatened species, populations and ecological communities and Ramsar wetlands;
- Locally important species and ecological communities, such as species and ecological communities especially sensitive to fire.

Cultural

- Aboriginal significance – Aboriginal places and items of significance;
- Non-indigenous heritage – places and items arising from the early occupation of NSW by European or other non-indigenous settlers; and
- Other cultural assets – community halls, clubs and recreational facilities.

See Appendix 2 for the full list of assets identified in the Warringah Pittwater BFMC area. See Maps 1-4 for the location of assets to be treated under this BFRMP.

2.3.2 Assessing the Bush Fire Risk - Consequence

Once the assets were identified, the consequence of a bush fire impacting on these assets was assessed.

See Appendix 2 for the consequence ratings assigned to each asset identified in the Warringah Pittwater BFMC area.

The different asset types had different assessment processes used to determine the consequence. These processes are identified below.

Human settlement

A potential fire behaviour model using vegetation type, slope and separation distance was used to produce a threat rating for human settlement assets. The vulnerability of the asset to a bush fire was also assessed and a rating assigned. These ratings were then used to assess the consequence of a bush fire impacting upon a human settlement asset.

Special Fire Protection (SFP) assets were considered inherently more vulnerable to bush fire due to mobility capacity, knowledge or other issues relating to their inhabitants, (e.g. the elderly, infirm, children or tourists) and therefore stricter requirements for vulnerability assessment and rating were applied.

Economic

The level of economic impact e.g. local, regional or state, as well as the economic recovery costs (how long and complicated a financial recovery will be) of the asset were identified. These ratings were used to assess the consequence of a bush fire impacting upon an economic asset.

Environmental

Environmental assets with known minimum fire threshold were assessed to determine if they were at risk of a bush fire within the 5 year life of the BFRMP using fire history. Those environmental assets which were within or above the fire threshold were not assessed in the BFRMP, as the negative impact of a fire within the 5 year period was determined as being low and may even be of benefit to the asset and surrounding habitat.

The vulnerability of an environmental asset was determined by its conservation status and its geographic extent (distribution across the landscape). Vulnerability and potential impact of bush fire were used to assess the consequence of a bush fire impacting upon an environmental asset.

Cultural

For non-indigenous historical, Aboriginal and other cultural assets a potential fire behaviour model using fuel load, slope and proximity was used to produce a threat rating. The physical vulnerability of the asset to a bush fire was also assessed. These ratings were then used to assess the consequence of a bush fire impacting upon a cultural asset.

2.3.3 Assessing the Bush Fire Risk - Likelihood

For all asset types the likelihood of a bush fire occurring was assessed. This involves considering fire history, including ignition cause and patterns, known fire paths, access, containment potential and potential fire run (size of the vegetated area). See Appendix 2 for the likelihood ratings assigned to each asset identified in the Warringah Pittwater BFMC area.

2.3.4 Identifying the level of risk

The consequence and likelihood ratings were then used to identify the level of risk. See Appendix 2 for the risk ratings assigned to each asset identified in the Warringah Pittwater BFMC area.

2.3.5 Evaluating the Bush Fire Risk

Once the risk ratings for each asset were identified, they were evaluated to:

- a) confirm that risk levels identified in the risk analysis process are appropriate and reflect the relative seriousness of the bush fire risk;
- b) identify which assets require treatments; and
- c) identify treatment priorities.

2.3.6 Prioritising Treatments

No organisation has limitless resources to deal with adverse risk. It is therefore necessary to define priorities. The bush fire risk ratings determined were used to prioritise the risk treatments, i.e. areas of extreme risk were considered first for treatment, then very high, then high then medium then low.

2.3.7 Risk Acceptability

Risks below a certain level were assessed as not requiring treatment within the life of this plan. This is due to a combination of risk priority and capacity to undertake the works.

Within the Warringah Pittwater BFMC area the level of acceptability is medium. Areas of medium or low risk are likely to be managed by routine procedures and so do not require a specific application of resources.

The Warringah Pittwater BFMC has accepted that there will be extreme and very high risk to some cultural and environmental assets. The Warringah Pittwater BFMC will not be applying specific treatments to these assets as they may not be appropriate or may have the potential to damage the asset. However, the protection and management of these assets will be taken into account during the planning of treatments for the area. The BFMC wide treatments, in addition to scheduled treatments such as prescribed burns and fire trail maintenance, are likely to contribute toward the reduction of risk to these assets.

Chapter 3. Treating the Risk

3.1 *Bush Fire Management Zones*

Bush Fire Management Zones were identified within the Warringah Pittwater BFMC area and mapped (see maps 1-4). These zones identify the fire management intent for a specific area. See Table 3.1 for descriptions of the zones and their purposes. The two categories of Bush Fire Management Zones are:

- Asset Protection Zone (APZ);
- Strategic Fire Advantage Zone (SFAZ);
- Land Management Zone (LMZ); and
- Fire Exclusion Zone (FEZ).

| Zone | Purpose | Suppression Objective(s) | Zone characteristics |
|--------------------------------------|--|--|---|
| Asset Protection Zone | To protect human life, property and highly valued public assets and values. | To enable the safe use of Direct Attack suppression strategies within the zone. To minimise bush fire impacts on undefended assets. | As per RFS document <i>Standards for Asset Protection Zones</i> . |
| Strategic Fire Advantage Zone | To provide strategic areas of fire protection advantage which will reduce the speed and intensity of bush fires, and reduce the potential for spot fire development; To aid containment of wildfires to existing management boundaries. | To improve the likelihood and safe use of: Parallel Attack suppression strategies within the zone. and/or Indirect Attack (back burning) in high to very high fire weather conditions within the zone. To reduce the likelihood of: Crown fire development within the zone. and/or Spot fire ignition potential from the zone | Zone width related to suppression objectives and dependant upon: <ul style="list-style-type: none"> • Topography • Aspect • Spotting propensity • Location of adjacent firebreaks • Mosaic pattern of treatment Assess Overall Fuel Hazard (OFH) once vegetation communities reach minimum fire thresholds within this plan. Management practices should aim to achieve mosaic fuel reduction patterns so that the majority of the SFAZ has an OFH of less than high. |
| Land Management Zone | To meet relevant land management objectives in areas where APZs or SFAZs are not appropriate. | As per the land management and fire protection objectives of the responsible land management agency. To reduce the likelihood of spread of fires. To undertake mosaic burning | As appropriate to achieve land management e.g. heritage and/or fire protection e.g. broad scale mosaic burning objectives. |
| Fire Exclusion Zone | To exclude bush fires. | N/A | Variable dependant on size of fire sensitive area requiring protection. |

Table 3.1 Bush Fire Management Zones: Purpose, objectives and characteristics

NB: OFH refers the Overall Fuel Hazard Guide as described in the document published by (Dept. of Sustainability and Environment 3rd ed. 1999 & NPWS version); State-wide procedures for assessment of fuel hazard will be developed in conjunction with the BFCC.

Note: All areas that are not mapped or described as APZs or SFAZs are considered as LMZs.

3.2 BFMC Wide Treatments

BFMC wide treatments are activities which reduce the overall bush fire risk within the BFMC area and are undertaken on an ongoing basis as part of normal business. These treatments are not linked to specific assets in the BFRMP, rather they are applied across all or part of the BFMC area as designated by legislation or agency policy. BFMC wide treatments include the following:

- **Reviewing the bush fire prone land map**

These maps identify bush fire prone land and are used to trigger whether a development application is assessed using *Planning for Bush Fire Protection*¹.

- **Ensuring developments in bush fire prone land comply with *Planning for Bush Fire Protection***

This assessment process requires new applications for development to include bush fire protection measures.

- **Using the Local Environment Plan/s (LEPs) to control developments in areas with a bush fire risk**

LEPs can be used to exclude development in extreme bush fire risk areas or where bush fire protection measures cannot be incorporated.

- **Varying the standard bush fire danger period as required**

In years where the weather is particularly adverse the bush fire danger period may be brought in early or extended. This is assessed every year by the BFMC.

- **Requiring permits during the bush fire danger period**

In the bush fire danger period a fire safety permit is required to light a fire in the open. Permits specify conditions such as fire fighting equipment that must be on site, or restrict burns based on weather conditions.

- **Prosecution of offenders in relation to deliberate ignition**

Under the *Rural Fires Act 1997* persons may be prosecuted for breaching the conditions on a fire permit, lighting a fire during a Total Fire Ban, allowing fire to escape their property, or other breaches of the Act. In addition the member agencies of the BFMC will co-operate with the NSW Police in relation to the prosecution of arsonists under the Crimes Act 1900

- **Investigation of bush fire cause**

All bush fires which do not have a known cause are investigated to identify how they started.

- **Normal fire suppression activities**

Responding to bush fire is a normal business activity for the fire fighting authorities.

¹ NSW Rural Fire Service 2006 *Planning for Bush Fire Protection: A guide for councils, planners, fire authorities and developers*.

- **Assessing and managing compliance with strategic fire fighting resource allocation provisions**

Strategic fire fighting resource allocation provisions is the process used to identify the number of stations, brigades and appliances required in an area, and consider members, training, assets and hazards.

- **Preparation of a S52 Operations Coordination Plan**

The Operations Coordination Plan is prepared biannually and sets out how coordinated fire fighting will occur. It includes specific operational restrictions on fire fighting techniques in certain areas, where fires will be managed from, and how agencies involved can communicate during operations.

- **Fire Management Plans or Plans of Management**

Some land management agencies have developed fire management plans or plans of management with specific fire or fuel management strategies, for example fire management plans for Council Reserves or National Parks in the BFMC area. These publicly exhibited plans form the basis for operational fire planning on public parks, reserves and forests.

- **Bush Fire Hazard Complaints**

If someone is concerned about possible bush fire hazards on a neighbouring property or any other land, then this can be reported to the RFS Commissioner or their local RFS Fire Control Centre. The complaint will be investigated and may result in a notice being issued to the landowner or manager to reduce the hazard.

- **Distribution of Bush Fire Safety Pamphlets**

During the life of this plan Warringah and Pittwater Council will distribute Bush Fire Safety Pamphlets with the rate notice to all rate payers.

- **Weed control and Mowing of Reserves**

As part of scheduled Council works programs Warringah and Pittwater Councils undertake both weed control and mowing on Council Reserves that assist in the maintenance of asset protect zones.

- **Environmental & Cultural Assets**

Where there are several references to environmental and cultural assets in Appendix 2 there are no specific treatments identified. The effects of bush fire directly on these assets are minimal and there may be a greater impacted if asset protection works are undertaken or the location highlighted.

3.3 Asset Specific Treatments

There are four broad strategy groups available to treat the bush fire risk to assets identified in the BFRMP.

The types of asset specific treatments in each strategy group used in the Warringah Pittwater BFMC area are listed below. A full list of the treatment strategies in the Warringah Pittwater BFMC area are in Appendix 3.

| Strategy | Targeted treatments used in the Warringah Pittwater BFMC area |
|---------------------|---|
| Ignition Management | Inspect and maintain near powerlines Undertake patrols in high visitation areas during total fire bans Closure of areas when total fire ban is declared |
| Hazard Reduction | Develop and implement BFMC HR burning program Inspect APZ and maintain as required |
| Community Education | Implement community education program Install and maintain community notice boards Implement and maintain Community Fire Unit program |
| Preparedness | Inspect and maintain fire trail register Inspect and maintain water hydrants |

Table 3.2 Asset specific treatments used in the Warringah Pittwater BFMC area

3.4 Fire Thresholds

The vegetation in the Warringah Pittwater BFMC area was classified into fire threshold categories (Table 3.3*).

=

| Vegetation formation | Minimum SFAZ Threshold | Minimum LMZ Threshold | Maximum Threshold | Notes |
|---|------------------------|-----------------------|-------------------|---|
| Rainforest | NA | NA | NA | Fire should be avoided. |
| Wet Sclerophyll forest (shrubby subformation) | 25 | 30 | 60 | Crown fires should be avoided in the lower end of the interval range. |
| Wet Sclerophyll forest (grassy subformation) | 10 | 15 | 50 | Crown fires should be avoided in the lower end of the interval range. |
| Grassland | 2 | 3 | 10 | Occasional intervals greater than 7 years should be included in coastal areas. There was insufficient data to give a maximum interval; available evidence indicates maximum intervals should be approximately 10 years. |
| Dry sclerophyll forest (shrub/grass subformation) | 5 | 8 | 50 | Occasional intervals greater than 25 years may be desirable. |
| Dry sclerophyll forest (shrub subformation) | 7 | 10 | 30 | Occasional intervals greater than 25 years may be desirable. |
| Heathlands | 7 | 10 | 30 | Occasional intervals greater than 20 years may be desirable. |
| Freshwater wetlands | 6 | 10 | 35 | Occasional intervals greater than 30 years may be desirable. |
| Forested wetlands | 7 | 10 | 35 | Some intervals greater than 20 years may be desirable. |
| Saline wetlands | NA | NA | NA | Fire should be avoided. |

Table 3.3 Fire Thresholds for Vegetation Categories

3.5 Annual Works Programs

The land management agencies and fire fighting authorities responsible for implementing the treatments identified in this plan will include those treatments in their annual works programs detailing how, when, and where the required activities will be undertaken.

3.6 Implementation

When the treatments identified in this BFRMP are implemented there are a number of issues that need to be considered by the responsible agency including environmental assessments and approvals, smoke management and prescribed burn plans.

Chapter 4. Performance Monitoring and Reviewing

4.1 Review

This BFRMP must be reviewed and updated within each successive five-year period from the constitution of the BFMC. The Warringah Pittwater BFMC will also review this plan as necessary to account for any changes in context or risk. This may be triggered by a range of circumstances, including but not limited to:

- changes to the BFMC area, organisational responsibilities or legislation;
- changes to the bush fire risk in the area; or
- following a major fire event.

4.2 Monitoring

The BFMC is required to monitor progress towards the completion of treatment works listed in the BFRMP, and the timeliness of the works.

4.3 Reporting

The BFMC is required to report annually to the BFCC on its progress in implementing the bush fire risk management activities identified in this plan.

4.4 Performance Measurements

State wide performance measurements which are linked to the BFRMP have been identified by the BFCC. All BFMCs must use these to monitor and report on their success in reducing the bush fire risk in their BFMC area.

Appendices

Appendix 1 - Community Participation Strategy

Appendix 1 - Warringah Pittwater BFMC Community Participation Strategy

| Date | Method of communication | Method of notification | Target Audience | Agency/ies responsible / attending |
|----------------------------|--|-------------------------------|--|---|
| 7 th July 2009 | Brigade and Community meeting WHEN Beacon Hill | Station Meeting | MDA-B, MDA-C & MDA-D Brigade and community targeting Cromer, Beacon Hill, Oxford Falls, Frenchs Forest, Allambie Heights & Balgowlah Heights | RFS |
| 9 th July 2009 | Brigade and Community meeting WHEN Davidson | Station Meeting | MDA-B, MDA-C & MDA-D Brigade and Community targeting Cromer, Belrose, Frenchs Forest, Davidson, Forestville & Killarney Heights | RFS |
| 10 th June 2009 | Brigade and Community meeting WHEN Duffys Forest | Station Meeting | MDA-A & MDA-B Brigade and community targeting Duffy Forest & Terrey Hills | RFS |
| 15 th June 2009 | Brigade and Community meeting WHEN Belrose | Station Meeting | MDA-B & MDA-C Brigade and community targeting Belrose, Oxford Falls & Frenchs Forest | RFS |
| 16 th June 2009 | Brigade and Community meeting WHEN Terrey Hills | Station Meeting | MDA-A & MDA-B Brigade and community targeting Duffy Forest, Terrey Hills, Ingleside & Belrose | RFS |
| 11 th July 2009 | Brigade and Community meeting WHEN Ingleside (Tumble) | Station Meeting | MDA-A & MDA-B Brigade and community targeting Ingleside & Terrey Hills | RFS |

Appendix 1 - Warringah Pittwater BFMC Community Participation Strategy

| Date | Method of communication | Method of notification | Target Audience | Agency/ies responsible / attending |
|-------------------------------|--|---|---|---|
| 27 th July 2009 | Brigade and Community meeting WHEN Ingleside | Station Meeting | MDA-A & MDA-B Brigade and community targeting Ingleside, Bayview Heights, Church Point, Elanora Heights, Warriewood & North Narrabeen | RFS |
| 5 th August 2009 | Brigade and Community meeting WHEN Terrey Hills | Station Meeting | MDA-A & MDA-B Brigade and community targeting Ku-Ring-Gai National Park and remote communities | RFS |
| 9 th August 2009 | Brigade and Community meeting WHEN Cottage Point | Station Meeting | MDA-A Brigade and community targeting Cottage Point | RFS |
| 10 th August 2009 | Brigade and Community meeting WHEN Elvina Bay | Station Meeting | MDA-A Brigade and community targeting Morning Bay, Towlers Bay, Lovett Bay, Elvina Bay, McCarrs Creek & Pittwater | RFS |
| 5 th November 2009 | Community meeting 7pm - 9pm Narrabeen | Email interest groups / media release Manly Daily | LGA community meeting / bush fire risk and environment | RFS, Warringah Council, NPWS |
| 31 st March 2010 | Community meeting / workshop 6pm - 8pm Pittwater Council, Mona Vale | Email Council interest groups | MDA-A & MDA-B Community environmental groups and others | RFS, Pittwater Council |
| 6 th April 2010 | Councillor briefing 6pm - 7pm Warringah Council | Councillors agenda | MDA-B, MDA-C & MDA-D, Elected Councillors | RFS, Warringah Council |
| 7 th April 2010 | Community meeting / workshop 7pm - 9pm Warringah Council, Dee Why | Email Council interest groups / media release Manly Daily | MDA-B, MDA-C & MDA-D, Community environmental groups and others | RFS, Warringah Council |

Appendix 2 - Asset Register

Appendix 2 - Asset Register

| Priority | Map reference number | Asset type | Asset sub type | Asset name | Asset Location | LGA | Likelihood | Consequence | Risk |
|----------|----------------------|------------------|-------------------------|--|--|-----------|----------------|--------------|---------|
| 1A | 0 | Environment | Endangered | Environmental assets with catastrophic and major consequence | | Pittwater | Almost certain | Catastrophic | Extreme |
| 1A | 1 | Human Settlement | Residential | Terrey Hills Rural | Terrey Hills NSW | Warringah | Almost certain | Catastrophic | Extreme |
| 1A | 2 | Human Settlement | Residential | Cottage Point Urban | Cottage Point Road Cottage Point NSW | Warringah | Almost certain | Catastrophic | Extreme |
| 1A | 3 | Human Settlement | Residential | Ingleside Rural | Ingleside | Pittwater | Almost certain | Catastrophic | Extreme |
| 1A | 4 | Human Settlement | Residential | Elanora Rural | Dendrobium Cr, Caladenia Cr Elanora Heights | Pittwater | Almost certain | Catastrophic | Extreme |
| 1A | 5 | Human Settlement | Special Fire Protection | Mater Maria College | Forest Road Warriewood NSW | Pittwater | Almost certain | Catastrophic | Extreme |
| 1A | 6 | Human Settlement | Special Fire Protection | Currawong Beach Resort | Currawong Beach | Pittwater | Almost certain | Catastrophic | Extreme |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority | Map reference number | Asset type | Asset sub type | Asset name | Asset Location | LGA | Likelihood | Consequence | Risk |
|----------|----------------------|------------------|-------------------------|--|---|-----------|----------------|--------------|---------|
| 1A | 7 | Human Settlement | Residential | Coasters Retreat | Coasters Retreat | Pittwater | Almost certain | Catastrophic | Extreme |
| 1A | 8 | Human Settlement | Residential | Lovett Bay North/Towlers Bay/Morning Bay | West Pittwater Area | Pittwater | Almost certain | Catastrophic | Extreme |
| 1A | 9 | Human Settlement | Residential | McCarrs Creek/Elvina/Lovett Bay South | Elvina / Lovett Bay West Pittwater | Pittwater | Almost certain | Catastrophic | Extreme |
| 1A | 10 | Human Settlement | Residential | Scotland Island West | Scotland Island Pittwater | Pittwater | Almost certain | Catastrophic | Extreme |
| 1A | 11 | Human Settlement | Special Fire Protection | RSL Retirement Village | Veterans Parade Collaroy Plateau NSW | Warringah | Almost certain | Catastrophic | Extreme |
| 1A | 12 | Human Settlement | Residential | Killarney Heights Urban South | Ballyshannon Road Killarney Heights NSW | Warringah | Almost certain | Catastrophic | Extreme |
| 1A | 13 | Human Settlement | Residential | Forestville Urban East | Cooks Street Forestville NSW | Warringah | Almost certain | Catastrophic | Extreme |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority | Map reference number | Asset type | Asset sub type | Asset name | Asset Location | LGA | Likelihood | Consequence | Risk |
|----------|----------------------|------------------|-------------------------|--|---------------------|-----------|----------------|--------------|---------|
| 1A | 14 | Cultural | Aboriginal Significance | Cultural site 3 | | Pittwater | Almost certain | Catastrophic | Extreme |
| 1A | 15 | Human Settlement | Residential | Belrose Rural | Morgan Road Belrose | Warringah | Almost certain | Catastrophic | Extreme |
| 1A | 16 | Human Settlement | Residential | Davidson Urban North | Davidson | Warringah | Almost certain | Catastrophic | Extreme |
| 1A | 17 | Human Settlement | Residential | Davidson Urban South | Davidson | Warringah | Almost certain | Catastrophic | Extreme |
| 1A | 18 | Human Settlement | Residential | Duffys Forest Rural | Duffys Forest | Warringah | Almost certain | Catastrophic | Extreme |
| 1A | 19 | Human Settlement | Residential | Terrey Hills North Urban | Terrey Hills NSW | Warringah | Almost certain | Catastrophic | Extreme |
| 1A | 20 | Human Settlement | Residential | Mona Vale Road Rural (near St Ives Showground) | Mona Vale Road | Warringah | Almost certain | Catastrophic | Extreme |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority | Map reference number | Asset type | Asset sub type | Asset name | Asset Location | LGA | Likelihood | Consequence | Risk |
|----------|----------------------|------------------|-------------------------|--|----------------------------------|-----------|----------------|--------------|---------|
| 1A | 21 | Human Settlement | Residential | Tumbledown Dick Valley Rural | Ingleside West | Warringah | Almost certain | Catastrophic | Extreme |
| 1A | 22 | Human Settlement | Residential | Elanora Golf Course Urban | Elanora Heights | Pittwater | Almost certain | Catastrophic | Extreme |
| 1A | 23 | Human Settlement | Residential | Killarney Heights Urban East | Athlone Cr Killarney Heights NSW | Warringah | Almost certain | Catastrophic | Extreme |
| 1A | 24 | Human Settlement | Special Fire Protection | Cook Street Villages / Schools | Cook Street Forestville NSW | Pittwater | Almost certain | Catastrophic | Extreme |
| 1A | 25 | Human Settlement | Residential | Forestville Park West Interface | Currie Road Forestville NSW | Warringah | Almost certain | Catastrophic | Extreme |
| 1A | 26 | Human Settlement | Special Fire Protection | Northern Beaches Christian School | Echunga Road Terrey Hills | Warringah | Almost certain | Catastrophic | Extreme |
| 1A | 27 | Human Settlement | Special Fire Protection | Willandra Bungalows Retirement Village | Little Willandra Road Cromer NSW | Warringah | Almost certain | Catastrophic | Extreme |

| Priority | Map reference number | Asset type | Asset sub type | Asset name | Asset Location | LGA | Likelihood | Consequence | Risk |
|----------|----------------------|------------------|-------------------------|--|--|-----------|----------------|--------------|---------|
| 1A | 28 | Human Settlement | Special Fire Protection | The John Colet School | Wyatt Avenue Belrose NSW | Warringah | Almost certain | Catastrophic | Extreme |
| 1A | 29 | Human Settlement | Special Fire Protection | Gleneon Retirement Village | Forest Way Belrose | Warringah | Almost certain | Catastrophic | Extreme |
| 1A | 30 | Human Settlement | Residential | Forestville Urban North | Lady Davidson / Ferguson Roads Forestville | Warringah | Almost certain | Catastrophic | Extreme |
| 1A | 31 | Human Settlement | Special Fire Protection | Minkara Retirement Village | Minkara Road Bayview NSW | Pittwater | Almost certain | Catastrophic | Extreme |
| 1A | 32 | Human Settlement | Residential | Scotland Island East | Scotland Island Pittwater | Pittwater | Almost certain | Catastrophic | Extreme |
| 1A | 33 | Human Settlement | Special Fire Protection | Sunny Field / Spastic Centre Allambie Heights North West | Aquatic/Allambie Drives Allambie Heights NSW | Warringah | Almost certain | Catastrophic | Extreme |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority | Map reference number | Asset type | Asset sub type | Asset name | Asset Location | LGA | Likelihood | Consequence | Risk |
|----------|----------------------|------------------|-------------------------|--------------------------------------|---|-----------|----------------|--------------|---------|
| 1A | 34 | Human Settlement | Residential | Church Point / Bayview Heights Urban | Church Point NSW | Pittwater | Almost certain | Catastrophic | Extreme |
| 1A | 35 | Human Settlement | Special Fire Protection | Kinma School | Coolowie Road | Warringah | Almost certain | Catastrophic | Extreme |
| 1B | 36 | Human Settlement | Residential | Bilgola Bends Escapement Urban | Bilgola Bends | Pittwater | Likely | Catastrophic | Extreme |
| 1B | 37 | Human Settlement | Residential | Fitzpatrick Reserve Urban | Grace Ave Frenchs Forest NSW | Warringah | Likely | Catastrophic | Extreme |
| 1B | 38 | Human Settlement | Residential | Forestville Urban South | Forestville NSW | Warringah | Likely | Catastrophic | Extreme |
| 1B | 39 | Human Settlement | Residential | Allambie Heights Urban South | Southern Cross Drive Allambie Heights NSW | Warringah | Likely | Catastrophic | Extreme |
| 1B | 40 | Human Settlement | Residential | Allenby Park Urban South | Allenby Park Pde Allambie Heights NSW | Warringah | Likely | Catastrophic | Extreme |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority | Map reference number | Asset type | Asset sub type | Asset name | Asset Location | LGA | Likelihood | Consequence | Risk |
|----------|----------------------|------------------|----------------|------------------------------------|------------------------------------|-----------|------------|--------------|---------|
| 1B | 41 | Human Settlement | Residential | Frenchs Forest Urban North | Frenchs Forest | Warringah | Likely | Catastrophic | Extreme |
| 1B | 42 | Human Settlement | Residential | Barkala Rd / Cabbage Tree Rd Rural | Barkala Road Bayview NSW | Pittwater | Likely | Catastrophic | Extreme |
| 1B | 43 | Human Settlement | Residential | Stapleton Park Urban | Riviera Ave Avalon | Pittwater | Likely | Catastrophic | Extreme |
| 1B | 44 | Human Settlement | Residential | Angophora Reserve Urban | Hilltop Road Avalon | Pittwater | Likely | Catastrophic | Extreme |
| 1B | 45 | Human Settlement | Residential | Oxford Falls Valley South Rural | Oxford Falls Road Oxford Falls NSW | Warringah | Likely | Catastrophic | Extreme |
| 1B | 46 | Human Settlement | Residential | Oxford Falls Valley North Rural | Oxford Falls Road Oxford Falls NSW | Warringah | Likely | Catastrophic | Extreme |
| 1B | 47 | Human Settlement | Residential | Davidson Urban South East | Oxley Drive Davidson NSW | Warringah | Likely | Catastrophic | Extreme |
| 1B | 48 | Human Settlement | Residential | McKay Reserve Urban | Palm Beach | Pittwater | Likely | Catastrophic | Extreme |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority | Map reference number | Asset type | Asset sub type | Asset name | Asset Location | LGA | Likelihood | Consequence | Risk |
|----------|----------------------|------------------|-------------------------|---------------------------------------|--------------------------------|-----------|------------|--------------|---------|
| 1B | 49 | Human Settlement | Residential | Belrose (East) Urban | Perentee Road Belrose. NSW | Warringah | Likely | Catastrophic | Extreme |
| 1B | 50 | Human Settlement | Residential | North Balgowlah Urban North | Manning Street North Balgowlah | Warringah | Likely | Catastrophic | Extreme |
| 1B | 51 | Human Settlement | Special Fire Protection | Willandra Retirement Village | Willandra Road Beacon Hill NSW | Warringah | Likely | Catastrophic | Extreme |
| 1B | 52 | Human Settlement | Residential | Woorarra Reserve Urban | Woorarra Road Elanora Heights | Pittwater | Likely | Catastrophic | Extreme |
| 1B | 53 | Human Settlement | Residential | Algona Reserve Urban | De Laurett Ave | Pittwater | Likely | Catastrophic | Extreme |
| 1B | 54 | Human Settlement | Special Fire Protection | Mimosa Primary / Davidson High School | Mimosa Street | Warringah | Likely | Catastrophic | Extreme |
| 1B | 55 | Human Settlement | Residential | Allenby Park Urban North | Allenby Park Brookvale | Warringah | Likely | Catastrophic | Extreme |

| Priority | Map reference number | Asset type | Asset sub type | Asset name | Asset Location | LGA | Likelihood | Consequence | Risk |
|----------|----------------------|------------------|-------------------------|---|--|-----------|----------------|-------------|---------|
| 1C | 0 | Cultural | Aboriginal Significance | Cultural site 4 | Various | Pittwater | Almost certain | Major | Extreme |
| 1C | 56 | Human Settlement | Residential | Warriewood Escarpment / Valley North Urban / Industrial | Boundary Road Warriewood Valley | Pittwater | Almost certain | Major | Extreme |
| 1C | 57 | Human Settlement | Residential | Cromer Heights Urban South | Cromer Heights NSW | Warringah | Almost certain | Major | Extreme |
| 1C | 58 | Human Settlement | Residential | McCarrs Creek Road Rural | McCarrs Creek Road Terrey Hills NSW 2084 | Warringah | Almost certain | Major | Extreme |
| 1C | 59 | Human Settlement | Residential | Forestville Park Urban East | Bantry Road Forestville NSW | Warringah | Almost certain | Major | Extreme |
| 1C | 60 | Economic | Infrastructure | Water Reservoirs | Various Locations | Warringah | Almost certain | Major | Extreme |
| 1C | 61 | Economic | Infrastructure | Sydney Water Pipe Line | Various Locations | Warringah | Almost certain | Major | Extreme |
| 1C | 62 | Economic | Infrastructure | Energy Australia Sub Stations | Various Locations | Warringah | Almost certain | Major | Extreme |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority | Map reference number | Asset type | Asset sub type | Asset name | Asset Location | LGA | Likelihood | Consequence | Risk |
|----------|----------------------|------------------|-------------------------|--|-------------------------------------|-----------|----------------|-------------|---------|
| 1C | 63 | Cultural | Aboriginal Significance | Cultural site 1 | | Pittwater | Almost certain | Major | Extreme |
| 1C | 64 | Human Settlement | Residential | Red Hill Urban | Red Hill / Beacon Hill | Warringah | Almost certain | Major | Extreme |
| 1C | 65 | Human Settlement | Residential | Cromer Heights Urban North | Cromer Heights NSW | Warringah | Almost certain | Major | Extreme |
| 1C | 66 | Human Settlement | Residential | Elanora Heights North Urban | Irrawong / Garden Street | Pittwater | Almost certain | Major | Extreme |
| 1C | 67 | Human Settlement | Special Fire Protection | Wesley Gardens Nursing Home & Retirement Village | Morgan Road Belrose NSW | Warringah | Almost certain | Major | Extreme |
| 1C | 68 | Human Settlement | Residential | Mackerel Beach | Great Mackerel Beach | Pittwater | Almost certain | Major | Extreme |
| 1C | 69 | Economic | Infrastructure | Power Lines and Support Towers. | Various Locations | Warringah | Almost certain | Major | Extreme |
| 1C | 70 | Economic | Commercial | Austlink Business Park | Forest Way x Mona Vale Road Belrose | Warringah | Almost certain | Major | Extreme |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority | Map reference number | Asset type | Asset sub type | Asset name | Asset Location | LGA | Likelihood | Consequence | Risk |
|----------|----------------------|------------------|--------------------------|---|-------------------------------------|-----------|----------------|-------------|-----------|
| 1C | 71 | Human Settlement | Residential | Terrey Hills Rural South Rural / Industrial | Terrey Hills | Warringah | Almost certain | Major | Extreme |
| 1C | 72 | Economic | Tourist and Recreational | Sydney Academy of Sport | Wakehurst Parkway Narrabeen NSW | Warringah | Almost certain | Major | Extreme |
| 2A | 73 | Human Settlement | Residential | Brickworks Reserve Urban | Warringah Road Beacon Hill NSW | Warringah | Likely | Major | Very High |
| 2A | 74 | Human Settlement | Residential | Lyndhurst Way Estate Urban | Lyndhurst Way Belrose NSW | Warringah | Likely | Major | Very High |
| 2A | 75 | Human Settlement | Residential | Wyatt Avenue Rural / Urban | Wyatt Avenue Belrose | Warringah | Likely | Major | Very High |
| 2A | 76 | Human Settlement | Residential | Mona Vale Road / McCarrs Creek Rd Urban | Mona Vale Road / McCarrs Creek Road | Warringah | Likely | Major | Very High |
| 2A | 77 | Human Settlement | Residential | Jindabyne Reserve Urban | Jindabyne Street Frenchs Forest NSW | Warringah | Likely | Major | Very High |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority | Map reference number | Asset type | Asset sub type | Asset name | Asset Location | LGA | Likelihood | Consequence | Risk |
|----------|----------------------|------------------|--------------------------|------------------------------------|--|-----------|----------------|--------------|-----------|
| 2A | 78 | Human Settlement | Residential | Jamieson Park Urban North East | Jamieson Park Collaroy Plateau | Warringah | Likely | Major | Very High |
| 2A | 79 | Human Settlement | Residential | Anzac Avenue Reserve Urban | Hendy Avenue Collaroy NSW | Warringah | Likely | Major | Very High |
| 2B | 80 | Economic | Infrastructure | Sydney East Sub Station | Belrose | Warringah | Possible | Catastrophic | Very High |
| 2B | 81 | Human Settlement | Residential | Terrey Hills South Urban | Cooyong and Lartoki Roads Terrey Hills | Warringah | Possible | Catastrophic | Very High |
| 2C | 82 | Human Settlement | Residential | Walter Road North Rural | Walter Road Ingleside | Pittwater | Almost certain | Moderate | Very High |
| 2C | 83 | Economic | Tourist and Recreational | Warringah Aquatic Centre | Aquatic Drive Allambie Heights NSW | Warringah | Almost certain | Moderate | Very High |
| 2C | 84 | Economic | Infrastructure | Terrey Hills Doppler Radar | Mona Vale x Forest Way Terrey Hills | Warringah | Almost certain | Moderate | Very High |
| 2C | 85 | Economic | Tourist and Recreational | Barrenjoey Headland and Lighthouse | Palm Beach | Pittwater | Almost certain | Moderate | Very High |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority | Map reference number | Asset type | Asset sub type | Asset name | Asset Location | LGA | Likelihood | Consequence | Risk |
|----------|----------------------|------------------|--------------------------|---|----------------------------------|-----------|----------------|-------------|-----------|
| 2C | 86 | Economic | Infrastructure | Mona Vale Road | Belrose, Terrey Hills, Ingleside | Warringah | Almost certain | Moderate | Very High |
| 2C | 87 | Economic | Commercial | Ingleside Training Facility | Ingleside Road, Ingleside | Pittwater | Almost certain | Moderate | Very High |
| 2C | 88 | Economic | Tourist and Recreational | Akuna Bay Marina | Akuna Bay NSW | Warringah | Almost certain | Moderate | Very High |
| 3A | 89 | Economic | Tourist and Recreational | West Head Resolute lookout / picnic area | West Head | Pittwater | Likely | Moderate | High |
| 3B | 90 | Human Settlement | Residential | Greenway Duffys Forest Urban | Greenway Duffys Forest | Warringah | Possible | Major | High |
| 3B | 91 | Economic | Infrastructure | Optus Belrose Satellite Facility | Challenger Drive Belrose NSW | Warringah | Possible | Major | High |
| 3B | 92 | Human Settlement | Special Fire Protection | Sydney German School / Terrey Hills Swim Centre | Myoora Road | Warringah | Possible | Major | High |
| 3B | 93 | Economic | Infrastructure | Telstra Satellite Earth Station | Oxford Falls Road Oxford Falls | Warringah | Possible | Major | High |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority | Map reference number | Asset type | Asset sub type | Asset name | Asset Location | LGA | Likelihood | Consequence | Risk |
|----------|----------------------|------------------|-------------------------|---|---------------------------------------|-----------|------------|--------------|------|
| 3B | 94 | Economic | Infrastructure | Optus Oxford Falls Earth Station | Oxford Falls Road Oxford Falls NSW | Warringah | Possible | Major | High |
| 3B | 95 | Human Settlement | Residential | Warriewood Wetlands Urban / Commercial | Warriewood Valley | Pittwater | Possible | Major | High |
| 3B | 96 | Human Settlement | Residential | Betty Morrison Reserve Urban | Bungan Head Road Bungan Head | Pittwater | Possible | Major | High |
| 3B | 97 | Economic | Commercial | Brookvale / Warringah Mall Industrial / Commercial | Brookvale West | Warringah | Possible | Major | High |
| 3B | 98 | Human Settlement | Special Fire Protection | AGBU Alexander Primary School | Namba Road | Warringah | Possible | Major | High |
| 3C | 99 | Human Settlement | Residential | Wakehurst Parkway / Warringah Road Urban / Commercial | Frenchs Forest | Warringah | Unlikely | Catastrophic | High |
| 3C | 100 | Human Settlement | Special Fire Protection | Sydney Japanese School | Booralie Road Terrey Hills NSW 2084 | Warringah | Unlikely | Catastrophic | High |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority | Map reference number | Asset type | Asset sub type | Asset name | Asset Location | LGA | Likelihood | Consequence | Risk |
|----------|----------------------|------------------|-------------------------|--------------------------------------|------------------------------------|-----------|------------|--------------|------|
| 3C | 101 | Human Settlement | Special Fire Protection | Peninsula Gardens Retirement Village | Cabbage Tree Road Mona Vale | Pittwater | Unlikely | Catastrophic | High |
| 3C | 102 | Human Settlement | Special Fire Protection | Bayview Gardens Retirement Village | Cabbage Tree Road Bayview NSW | Pittwater | Unlikely | Catastrophic | High |
| 3C | 103 | Human Settlement | Residential | Walana / Samuel Street Urban | Mona Vale | Pittwater | Unlikely | Catastrophic | High |
| 3C | 104 | Human Settlement | Residential | Morella Park Urban | Morella Road Palm Beach | Pittwater | Unlikely | Catastrophic | High |
| 3C | 105 | Human Settlement | Residential | Careel Headland Reserve Urban | Careel Bay | Pittwater | Unlikely | Catastrophic | High |
| 3C | 106 | Human Settlement | Residential | Newport Heights Reserve Urban | Lower Plateau Road Bilgola Plateau | Pittwater | Unlikely | Catastrophic | High |
| 3C | 107 | Human Settlement | Residential | Collaroy Escarpment Urban | Edgecliff Bvd Collaroy Plateau NSW | Warringah | Unlikely | Catastrophic | High |

| Priority | Map reference number | Asset type | Asset sub type | Asset name | Asset Location | LGA | Likelihood | Consequence | Risk |
|----------|----------------------|------------------|--------------------------|--|------------------------------------|-----------|----------------|--------------|------|
| 3C | 108 | Human Settlement | Special Fire Protection | Oxford Falls Grammar / Christian City Church | Wakehurst Parkway Oxford Falls NSW | Warringah | Unlikely | Catastrophic | High |
| 3C | 109 | Human Settlement | Residential | Woodland Reserve Urban | Waratah Street, Mona Vale | Pittwater | Unlikely | Catastrophic | High |
| 3D | 110 | Economic | Tourist and Recreational | The Basin Picnic Area | The Basin | Pittwater | Almost certain | Minor | High |
| 3D | 111 | Economic | Tourist and Recreational | NSW Gun Club | Booralie Road Duffys Forest | Warringah | Almost certain | Minor | High |
| 3D | 112 | Economic | Infrastructure | Forest Way | Belrose | Warringah | Almost certain | Minor | High |
| 3D | 113 | Economic | Infrastructure | Duffy's Forest RFS / Horse Arena | Duffys Forest NSW 2084 | Warringah | Almost certain | Minor | High |
| 3D | 114 | Economic | Tourist and Recreational | Monash / Elanora Golf Course | Ingleside / Elanora Heights | Pittwater | Almost certain | Minor | High |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority | Map reference number | Asset type | Asset sub type | Asset name | Asset Location | LGA | Likelihood | Consequence | Risk |
|----------|----------------------|------------|--------------------------|-------------------------------------|-------------------------------------|-----------|----------------|-------------|------|
| 3D | 115 | Economic | Tourist and Recreational | Waratah Park Earth Sanctuary | Namba Road, Duffy's Forest | Warringah | Almost certain | Minor | High |
| 3D | 116 | Economic | Tourist and Recreational | St Ives Pistol Club | Mona Vale Road Terrey Hills | Warringah | Almost certain | Minor | High |
| 3D | 117 | Economic | Infrastructure | Kimbriki Waste Centre | Kimbriki Road Terrey Hills NSW 2084 | Warringah | Almost certain | Minor | High |
| 3D | 118 | Economic | Tourist and Recreational | Illawong Picnic Area | General San Martin Drive | Warringah | Almost certain | Minor | High |
| 3D | 119 | Economic | Tourist and Recreational | Manly Dam Picnic Areas | Manly Dam | Warringah | Almost certain | Minor | High |
| 3D | 120 | Economic | Tourist and Recreational | Warringah Radio Control Flying Club | Off Morgan Road Belrose | Warringah | Almost certain | Minor | High |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority | Map reference number | Asset type | Asset sub type | Asset name | Asset Location | LGA | Likelihood | Consequence | Risk |
|----------|----------------------|------------------|--------------------------|--|--|-----------|----------------|-------------|--------|
| 3D | 121 | Economic | Infrastructure | Warringah Pittwater Emergency Control Centre | Thompson Drive Terrey Hills | Warringah | Almost certain | Minor | High |
| 3D | 122 | Economic | Tourist and Recreational | Terrey Hills Par 3 / Golf Driving Range | Myoora Road, Terrey Hills | Warringah | Almost certain | Minor | High |
| 3D | 123 | Economic | Commercial | Manly Dam / Uni of NSW Water Lab | Manly Vale | Warringah | Almost certain | Minor | High |
| 4 | 124 | Human Settlement | Residential | Narroy Park Urban | Rickard Road North Narrabeen NSW | Pittwater | Unlikely | Major | Medium |
| 4 | 125 | Human Settlement | Residential | Anana Reserve Urban | Anana Road Elanora Heights | Pittwater | Unlikely | Major | Medium |
| 4 | 126 | Human Settlement | Residential | Kundibah Park Urban | Kundibah Road Elanora Road Elanora Heights NSW | Pittwater | Unlikely | Major | Medium |
| 4 | 127 | Economic | Tourist and Recreational | McCarrs Creek Reserve | McCarrs Creek Road McCarrs Creek | Pittwater | Likely | Minor | Medium |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority | Map reference number | Asset type | Asset sub type | Asset name | Asset Location | LGA | Likelihood | Consequence | Risk |
|----------|----------------------|------------------|----------------|--|------------------------------|-----------|------------|-------------|--------|
| 4 | 128 | Human Settlement | Residential | Sunrise Road Urban | Palm Beach | Pittwater | Unlikely | Major | Medium |
| 4 | 129 | Human Settlement | Residential | Hitchcock Park Urban | Careel Bay | Pittwater | Unlikely | Major | Medium |
| 4 | 130 | Human Settlement | Residential | Plateau Park Urban | Plateau Road Bilgola Plateau | Pittwater | Unlikely | Major | Medium |
| 4 | 131 | Human Settlement | Residential | Palmgrove Park Urban | Palmgrove Road Avalon NSW | Pittwater | Unlikely | Major | Medium |
| 4 | 132 | Human Settlement | Residential | Lincoln Ave Urban | Lincoln Ave Collaroy NSW | Warringah | Unlikely | Major | Medium |
| 4 | 133 | Human Settlement | Residential | South Creek Urban | South Creek Road Cromer NSW | Warringah | Unlikely | Major | Medium |
| 4 | 134 | Human Settlement | Residential | Lillahina Reserve Urban | Chester Place Narraweena | Warringah | Unlikely | Major | Medium |
| 4 | 135 | Human Settlement | Residential | South Creek South / Egan Reserve Urban | Willandra Road Beacon Hill | Warringah | Unlikely | Major | Medium |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority | Map reference number | Asset type | Asset sub type | Asset name | Asset Location | LGA | Likelihood | Consequence | Risk |
|----------|----------------------|------------------|----------------|---|-----------------------------|-----------|------------|-------------|--------|
| 4 | 136 | Human Settlement | Residential | Gov Phillip Lookout / Beacon Hill Reserve Urban | Warringah Road Beacon Hill | Warringah | Unlikely | Major | Medium |
| 4 | 137 | Human Settlement | Residential | Stony Range Flora Reserve Urban | Pittwater Road Dee Why NSW | Warringah | Unlikely | Major | Medium |
| 4 | 138 | Human Settlement | Residential | Wingala Reserve Urban | Headland Road Dee Why NSW | Warringah | Unlikely | Major | Medium |
| 4 | 139 | Human Settlement | Residential | Harbord Road Urban | Harbord Road Harbord NSW | Warringah | Unlikely | Major | Medium |
| 4 | 140 | Human Settlement | Residential | Hews Reserve Urban | Hews Parade Belrose NSW | Warringah | Unlikely | Major | Medium |
| 4 | 141 | Human Settlement | Residential | Frenchs Forest Cemetery Urban | Hakea Avenue Belrose | Warringah | Unlikely | Major | Medium |
| 4 | 142 | Human Settlement | Residential | Mimosa St / Kens Rd Urban | Kens Road | Warringah | Unlikely | Major | Medium |
| 4 | 143 | Human Settlement | Residential | Forestville War Memorial Park Urban | Melwood Ave Forestville NSW | Warringah | Unlikely | Major | Medium |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority | Map reference number | Asset type | Asset sub type | Asset name | Asset Location | LGA | Likelihood | Consequence | Risk |
|----------|----------------------|------------------|-------------------------|--|----------------------------------|-----------|------------|-------------|--------|
| 4 | 144 | Human Settlement | Residential | Irrubel Road Urban | Wallumatta Road Newport | Pittwater | Unlikely | Major | Medium |
| 4 | 145 | Cultural | Aboriginal Significance | Cultural site 2 | | Pittwater | Unlikely | Major | Medium |
| 4 | 146 | Human Settlement | Residential | Dee Why Lagoon Urban North | Dee Why Lagoon North Dee Why NSW | Warringah | Unlikely | Major | Medium |
| 4 | 147 | Economic | Infrastructure | Belrose Waste Management Centre / Quarry | Crozier Road Belrose NSW | Warringah | Possible | Moderate | Medium |
| 4 | 148 | Economic | Commercial | Warriewood Shopping Centre | Warriewood | Pittwater | Unlikely | Major | Medium |
| 4 | 149 | Human Settlement | Residential | Warriewood Valley Urban / Rural East | Warriewood Valley | Pittwater | Unlikely | Major | Medium |
| 4 | 150 | Human Settlement | Residential | Dee Why Headland Urban | Dee Why Headland | Warringah | Unlikely | Major | Medium |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority | Map reference number | Asset type | Asset sub type | Asset name | Asset Location | LGA | Likelihood | Consequence | Risk |
|----------|----------------------|------------------|--------------------------|---|-------------------------------------|-----------|------------|-------------|--------|
| 4 | 151 | Economic | Tourist and Recreational | Bantry Bay Military Area | Bantry Bay | Warringah | Likely | Minor | Medium |
| NA | 152 | Economic | Tourist and Recreational | Terrey Hills Golf Course | Booralie Road Terrey Hills NSW 2084 | Warringah | Possible | Minor | Low |
| NA | 153 | Human Settlement | Residential | Turimetta/North Narrabeen Head Reserves Urban | Turimetta Head Warriewood NSW | Warringah | Unlikely | Moderate | Low |
| NA | 154 | Human Settlement | Residential | Mona Vale Cemetery Urban | Samuel Street Mona Vale | Pittwater | Unlikely | Moderate | Low |
| NA | 155 | Human Settlement | Residential | Loquat Valley Urban | Lentara Road Loquat Valley | Pittwater | Unlikely | Moderate | Low |
| NA | 156 | Human Settlement | Residential | Rowland Reserve Urban | Pittwater Road Bayview | Pittwater | Unlikely | Minor | Low |
| NA | 157 | Human Settlement | Residential | Crown of Newport Reserve Urban | Sybil Street Newport | Pittwater | Unlikely | Moderate | Low |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority | Map reference number | Asset type | Asset sub type | Asset name | Asset Location | LGA | Likelihood | Consequence | Risk |
|----------|----------------------|------------------|--------------------------|-------------------------------------|---|-----------|------------|-------------|------|
| NA | 158 | Human Settlement | Residential | Dee Why Lagoon Urban South | Dee Why Lagoon Dee Why NSW | Warringah | Unlikely | Minor | Low |
| NA | 159 | Economic | Tourist and Recreational | Cromer Golf Course | Cromer Road Cromer NSW | Warringah | Unlikely | Minor | Low |
| NA | 160 | Economic | Tourist and Recreational | Davidson Picnic Area / Boat Ramp | Warringah Road Roseville Bridge | Warringah | Unlikely | Minor | Low |
| NA | 161 | Economic | Tourist and Recreational | Greenpoint Sports Foundation | Off Killarney Drive Killarney Heights NSW | Warringah | Unlikely | Minor | Low |
| NA | 162 | Economic | Tourist and Recreational | Wakehurst Golf Course Clubhouse | Upper Clontarf Street North Balgowlah NSW | Warringah | Unlikely | Minor | Low |
| NA | 163 | Economic | Infrastructure | Greenwoods Quarry | Mona Vale Road Terrey Hills | Warringah | Unlikely | Minor | Low |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority | Map reference number | Asset type | Asset sub type | Asset name | Asset Location | LGA | Likelihood | Consequence | Risk |
|----------|----------------------|------------|--------------------------|-----------------------------------|-------------------------|-----------|------------|-------------|------|
| NA | 164 | Economic | Tourist and Recreational | Bayview Golf Course | Pittwater Road Bayview | Pittwater | Unlikely | Minor | Low |
| NA | 165 | Economic | Infrastructure | Mona Vale Electricity Sub Station | Samuel Street Mona Vale | Pittwater | Unlikely | Moderate | Low |

Appendix 3 – Asset Treatment Register

Appendix 3 - Asset and Treatment Register

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--|----------------|-------------------------------------|----------|--------------|--------------------|---------|----------------------|----------|------------------|------|------|------|------|------|
| 1A (Extreme) | 0 | Environmental assets with catastrophic and major consequence | | MDA 1; MDA 2; MDA 3; MDA 4 | | | | | | | | | | | | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--------------------|------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 1 | Terrey Hills Rural | Terrey Hills NSW | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 15 | Community Notice Board. | Install and Maintain Community notice board at Terrey Hills Rural Fire Station with current information detailed in the annual RFS community education strategy. | RFS | | | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 16 | Inspect & Treat APZ as Required | Inspect APZ and treat priorities as determined in conjunction with the RFS. | DECCW; Private | | RFS | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|---------------------|--------------------------------------|-------|---------------------|--------------|---|---|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 2 | Cottage Point Urban | Cottage Point Road Cottage Point NSW | MDA 1 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 17 | Community Notice Board. | Install and Maintain Community notice board at Cottage Point Rural Fire Station with current information detailed in the annual RFS community education strategy. | RFS | | | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 18 | Inspect APZ as treat determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | DECCW; Private | | RFS | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 8 | Patrol National Park on New Years Eve. | Develop and Implement a plan to Patrol National Park on New Years Eve as determined in consultation (RFS/DECCW) dependant on the Bush Fire Danger | DECCW; RFS; Police | | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-----------------|----------------|-------|---------------------|--------------|---|---|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 3 | Ingleside Rural | Ingleside | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 19 | Community Notice Board. | Install and Maintain Community notice board at Ingleside Rural Fire Station with current information detailed in the annual RFS community education strategy. | RFS | | | | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 3 | Inspect and Clear around reservoirs. | Inspect and clear around reservoirs as determined by Sydney Water | Other | Sydney Water | | X | X | X | X | X |
| | | | | | | 20 | Inspect & Treat APZ as Required | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; LGA; DECCW; Private | | RFS | X | | X | | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|---------------|---|-------|---------------------|--------------|---|---|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 4 | Elanora Rural | Dendrobium Cr, Caladenia Cr Elanora Heights | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 21 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | DECCW; Private | RFS | | X | | X | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|---------------------|----------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 5 | Mater Maria College | Forest Road Warriewood NSW | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 22 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; DECCW | RFS | X | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|------------------------|-----------------|-------|---------------------|--------------|---|---|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 6 | Currawong Beach Resort | Currawong Beach | MDA 1 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 23 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | Private | RFS | X | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 8 | Patrol National Park on New Years Eve. | Develop and Implement a plan to Patrol National Park on New Years Eve as determined in consultation (RFS/DECCW) dependant on the Bush Fire Danger | DECCW; RFS; Police | | | X | X | X | X | X |
| | | | | | | 9 | Close NP on days of Total Fire Ban | On days of Total Fire Ban, in consultation with RFS Fire Control Officer, consider closing the West Head Road Gate and Fire Trails | DECCW | | RFS | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|------------------|------------------|-------|---------------------|--------------|---|---|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 7 | Coasters Retreat | Coasters Retreat | MDA 1 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 24 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | DECCW; Private | RFS | X | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 8 | Patrol National Park on New Years Eve. | Develop and Implement a plan to Patrol National Park on New Years Eve as determined in consultation (RFS/DECCW) dependant on the Bush Fire Danger | DECCW; RFS; Police | | | X | X | X | X | X |
| | | | | | | 9 | Close NP on days of Total Fire Ban | On days of Total Fire Ban, in consultation with RFS Fire Control Officer, consider closing the West Head Road Gate and Fire Trails | DECCW | RFS | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--|---------------------|-------|---------------------|--------------|---|---|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 8 | Lovett Bay North/Towlers Bay/Morning Bay | West Pittwater Area | MDA 1 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 13 | Bushfire Safety brochure to Youth Hostel | Bushfire safety brochure to be provided by RFS to the management as required for distribution to guests | RFS | | | X | X | X | X | X |
| | | | | | | 25 | Install and maintain community notice board. | Install and maintain community notice board at West Pittwater (Lovett Bay) Rural Fire Station with current information detailed in the annual RFS community education strategy. | RFS | | | | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 26 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; DECCW; Private | | RFS | X | | X | | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|------------|----------------|-----|--------------|--------------|---|---|-----------------------|----------|------------------|------|------|------|------|------|
| 1A (Extreme) | 8 | | | | | 8 | Patrol National Park on New Years Eve. | Develop and Implement a plan to Patrol National Park on New Years Eve as determined in consultation (RFS/DECCW) dependant on the Bush Fire Danger | DECCW; RFS; Police | | | X | X | X | X | X |
| | | | | | | 9 | Close NP on days of Total Fire Ban | On days of Total Fire Ban, in consultation with RFS Fire Control Officer, consider closing the West Head Road Gate and Fire Trails | DECCW | RFS | X | X | X | X | X | |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | X | X | X | X | X | |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|---------------------------------------|------------------------------------|-------|---------------------|--------------|---|---|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 9 | McCarrs Creek/Elvina/Lovett Bay South | Elvina / Lovett Bay West Pittwater | MDA 1 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 27 | Install and maintain community notice board. | Install and Maintain Community notice board at West Pittwater (Elvina Bay) Rural Fire Station with current information detailed in the annual RFS community education strategy. | RFS | | | X | X | X | X | X |
| | | | | | | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 28 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; DECCW; Private | | RFS | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 8 | Patrol National Park on New Years Eve. | Develop and Implement a plan to Patrol National Park on New Years Eve as determined in consultation (RFS/DECCW) dependant on the Bush Fire Danger | DECCW; RFS; Police | | | X | X | X | X | X |
| | | | | | | 9 | Close NP on days of Total Fire Ban | On days of Total Fire Ban, in consultation with RFS Fire Control Officer, consider closing the West Head Road Gate and Fire Trails | DECCW | | RFS | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|------------|----------------|-----|--------------|--------------|---|---|-----------------------|----------|------------------|------|------|------|------|------|
| 1A (Extreme) | 9 | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-------------------------|---------------------------------|-------|------------------------|--------------|--|---|--|---|---------------------|------|------|------|------|------|
| 1A (Extreme) | 10 | Scotland Island West | Scotland Island Pittwater | MDA 1 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 55 | Install and maintain community notice board. | Install and maintain community notice board at Scotland Island rural fire station with current information detailed in the annual RFS community education strategy. | RFS | | | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 29 | Inspect APZ and treat as determined | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | | RFS | X | | X | | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 8 | Patrol National Park on New Years Eve. | Develop and Implement a plan to Patrol National Park on New Years Eve as determined in consultation (RFS/DECCW) dependant on the Bush Fire Danger | DECCW; RFS; Police | | | X | X | X | X | X |
| | | | | | | 9 | Close NP on days of Total Fire Ban | On days of Total Fire Ban, in consultation with RFS Fire Control Officer, consider closing the West Head Road Gate and Fire Trails | DECCW | | RFS | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|------------|----------------|-----|--------------|--------------|---|---|-----------------------|----------|------------------|------|------|------|------|------|
| 1A (Extreme) | 10 | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|------------------------|--------------------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 11 | RSL Retirement Village | Veterans Parade Collaroy Plateau NSW | MDA 3 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 30 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | | X | | X | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-------------------------------|---|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 12 | Killarney Heights Urban South | Ballyshannon Road Killarney Heights NSW | MDA 4 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 31 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; LGA; DECCW; Private | | RFS | X | | X | | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |
| | | | | | | 59 | Manage CFU (s) as per NSWFB Policy. | | NSWFB | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 | |
|---------------------------|-------------|---------------------------|------------------------------------|-------|---------------------|--------------|---|--|--|---|------------------|---------------------|------|------|------|------|---|
| 1A (Extreme) | 13 | Forestville Urban East | Cooks Street Forestville NSW | MDA 4 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X | |
| | | | | | | 32 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; LGA; DECCW; Private | | RFS | | X | | X | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X | |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X | |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X | |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X | |
| | | | | | | 59 | Manage CFU (s) as per NSWFB Policy. | | NSWFB | | | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-----------------|------------------------|-------|---------------------|--------------|---|--|--|---|---------------------|------|------|------|------|------|
| 1A (Extreme) | 14 | Cultural site 3 | | MDA 1 | | | | | | | | | | | | |
| | 15 | Belrose Rural | Morgan Road Belrose | MDA 3 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 57 | Install and maintain community notice board. | Install and maintain community notice board at Belrose Rural Station with current information detailed in the annual RFS community education strategy. | RFS | | | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 33 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; Private | | RFS | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-------------------------|----------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 16 | Davidson Urban North | Davidson | MDA 3 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 34 | Install and maintain Community Notice Board | Install and Maintain Community notice board at Davidson Rural Fire station with current information detailed in the annual RFS community education strategy. | RFS | | | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 5 | Inspect and clear around power Staunton's | Energy Australia to inspect and clear power Staunton's (towers) as required. | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 35 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; LGA; DECCW; Private | | RFS | X | | X | | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 | |
|---------------------------|-------------|------------|----------------|-----|----------|--------------|---|--|---|--------------------------|------------------|------|------|------|------|------|---|
| 1A (Extreme) | 16 | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X | |
| | | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |
| | | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-------------------------|----------------|-------|---------------------|--------------|--|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 17 | Davidson Urban South | Davidson | MDA 3 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 34 | Install and maintain Community Notice Board | Install and Maintain Community notice board at Davidson Rural Fire station with current information detailed in the annual RFS community education strategy. | RFS | | | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 2 | Inspect and maintain around major pipeline. | Inspect and clear around major pipelines as determined by Sydney Water. | Other | Sydney Water | | X | X | X | X | X |
| | | | | | | 5 | Inspect and clear around power Staunton's | Energy Australia to inspect and clear power Staunton's (towers) as required. | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 36 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; DECCW; Private | | RFS | | X | | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|------------|----------------|-----|---------------------|--------------|---|---|-----------------------|------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 17 | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |
| | | | | | | 59 | Manage CFU (s) as per NSWFB Policy. | | NSWFB | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|---------------------|----------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 18 | Duffys Forest Rural | Duffys Forest | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 37 | Install and maintain community notice board | Install and Maintain Community notice board at Duffys Forest Rural Fire Station with current information detailed in the annual RFS community education strategy | RFS | | | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 38 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; LGA; DECCW; Private | | RFS | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 | |
|---------------------------|-------------|-----------------------------|---------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|---|
| 1A (Extreme) | 19 | Terrey Hills North Urban | Terrey Hills NSW | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X | |
| | | | | | | 39 | Install and maintain community notice board. | Install and Maintain Community notice board at Terrey Hills Rural Fire Station with current information detailed in the annual RFS community education strategy. | RFS | | | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X | X |
| | | | | | | 40 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | DECCW; Private | | RFS | | X | | X | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X | |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X | |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|---|----------------|-------|---------------------|--------------|---|---|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 20 | Mona Vale Road Rural (near St Ives Showground) | Mona Vale Road | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 41 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | DECCW; Private | | RFS | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 6 | Inspect and maintain near power lines as required | | Other | Transgrid | | X | X | X | X | X |
| | | | | | | 7 | Inspect and maintain near Staunton's as required | | Other | Transgrid | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|------------------------------|----------------|-------|---------------------|--------------|---|---|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 21 | Tumbledown Dick Valley Rural | Ingleside West | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 43 | Install and maintain community notice board. | Install and Maintain Community notice board at Tumbledown Dick Rural Fire Station with current information detailed in the annual RFS community education strategy. | RFS | | | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 42 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA;DECCW ; Private | | RFS | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|---------------------------|-----------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 22 | Elanora Golf Course Urban | Elanora Heights | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 44 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | Private | | RFS | X | | X | | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|------------------------------|----------------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 23 | Killarney Heights Urban East | Athlone Cr Killarney Heights NSW | MDA 4 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 45 | Inspect & Treat APZ as Required | Inspect as scheduled and maintain APZs as per Bush Fire Plans of Management or as otherwise determined. | LGA; DECCW | RFS | X | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | X | X | X | X | X | |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | X | X | X | X | X | |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--------------------------------|-----------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 24 | Cook Street Villages / Schools | Cook Street Forestville NSW | MDA 4 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 46 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; DECCW; Private | | RFS | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|---------------------------------------|-----------------------------------|-------|------------------------|--------------|---|--|--|---|---------------------|------|------|------|------|------|
| 1A (Extreme) | 25 | Forestville Park West Interface | Currie Road Forestville NSW | MDA 4 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 47 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | | RFS | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-----------------------------------|---------------------------|-------|---------------------|--------------|---|---|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 26 | Northern Beaches Christian School | Echunga Road Terrey Hills | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 48 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | DECCW; Private | RFS | X | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--|----------------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 27 | Willandra Bungalows Retirement Village | Little Willandra Road Cromer NSW | MDA 3 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 49 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; Private | RFS | X | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-----------------------|--------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 28 | The John Colet School | Wyatt Avenue Belrose NSW | MDA 3 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 50 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | | X | | X | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|----------------------------|--------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 29 | Gleneon Retirement Village | Forest Way Belrose | MDA 3 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 51 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; LGA; Private | RFS | X | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|----------------------------|--|-------|---------------------|--------------|---|--|--|---|---------------------|------|------|------|------|------|
| 1A (Extreme) | 30 | Forestville Urban North | Lady Davidson / Ferguson Roads Forestville | MDA 4 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 52 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; LGA; DECCW; Private | RFS | | X | | X | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | X | X | X | X | X | |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | X | X | X | X | X | |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |
| | | | | | | 59 | Manage CFU (s) as per NSWFB Policy. | | NSWFB | | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|----------------------------|--------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 31 | Minkara Retirement Village | Minkara Road Bayview NSW | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 3 | Inspect and Clear around reservoirs. | Inspect and clear around reservoirs as determined by Sydney Water | Other | Sydney Water | | X | X | X | X | X |
| | | | | | | 53 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | | X | | X | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-------------------------|---------------------------------|-------|------------------------|--------------|--|---|--|---|---------------------|------|------|------|------|------|
| 1A (Extreme) | 32 | Scotland Island East | Scotland Island Pittwater | MDA 1 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 55 | Install and maintain community notice board. | Install and maintain community notice board at Scotland Island rural fire station with current information detailed in the annual RFS community education strategy. | RFS | | | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 54 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | | X | | X | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 8 | Patrol National Park on New Years Eve. | Develop and Implement a plan to Patrol National Park on New Years Eve as determined in consultation (RFS/DECCW) dependant on the Bush Fire Danger | DECCW; RFS; Police | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|------------|----------------|-----|--------------|--------------|---|--|-----------------------|----------|------------------|------|------|------|------|------|
| 1A (Extreme) | | | | | | 9 | Close NP on days of Total Fire Ban | On days of Total Fire Ban, in consultation with RFS Fire Control Officer, consider closing the West Head Road Gate and Fire Trails | DECCW | | RFS | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 | |
|---------------------------|-------------|--|--|-------|------------------------|--------------|--|--|--|---|------------------|---------------------|------|------|------|------|---|
| 1A (Extreme) | 33 | Sunny Field / Spastic Centre Allambie Heights North West | Aquatic/Allam bie Drives Allambie Heights NSW | MDA 4 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X | |
| | | | | | | 2 | Inspect and maintain around major pipeline. | Inspect and clear around major pipelines as determined by Sydney Water. | Other | Sydney Water | | X | X | X | X | X | |
| | | | | | | 56 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | | RFS | | X | | X | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X | |
| | | | | | | 59 | Manage CFU (s) as per NSWFB Policy. | | NSWFB | | | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--|---------------------|-------|------------------------|--------------|---|--|--|---|---------------------|------|------|------|------|------|
| 1A (Extreme) | 34 | Church Point / Bayview Heights Urban | Church Point NSW | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 60 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; LGA; Private | RFS | X | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|------------|----------------|-----|--------------|--------------|--|---|-----------------------|--------------|------------------|------|------|------|------|------|
| 1A (Extreme) | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |
| | | | | | | 59 | Manage CFU (s) as per NSWFB Policy. | | NSWFB | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--------------|----------------|-------|---------------------|--------------|---|---|--|-------------------------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 35 | Kinma School | Coolowie Road | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 61 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | Private | RFS | X | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | X | X | X | X | X | |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--------------------------------|----------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1B (Extreme) | 36 | Bilgola Bends Escapement Urban | Bilgola Bends | MDA 1 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 3 | Inspect and Clear around reservoirs. | Inspect and clear around reservoirs as determined by Sydney Water | Other | Sydney Water | | X | X | X | X | X |
| | | | | | | 62 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | | X | | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|---------------------------|------------------------------|-------|---------------------|--------------|---|--|-----------------------|------------------|------------------|------|------|------|------|------|
| 1A (Extreme) | 37 | Fitzpatrick Reserve Urban | Grace Ave Frenchs Forest NSW | MDA 4 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 2 | Inspect and maintain around major pipeline. | Inspect and clear around major pipelines as determined by Sydney Water. | Other | Sydney Water | X | X | X | X | X | |
| | | | | | | 5 | Inspect and clear around power Staunton's | Energy Australia to inspect and clear power Staunton's (towers) as required. | Other | Energy Australia | X | X | X | X | X | |
| | | | | | | 63 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | X | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | X | X | X | X | X | |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | X | X | X | X | X | |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | X | X | X | X | X | |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|----------------------------|--------------------|-------|------------------------|--------------|---|--|--|---|---------------------|------|------|------|------|------|
| 1B (Extreme) | 38 | Forestville Urban South | Forestville NSW | MDA 4 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 64 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; DECCW; Private | RFS | X | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | X | X | X | X | X | |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | X | X | X | X | X | |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |
| | | | | | | 59 | Manage CFU (s) as per NSWFB Policy. | | NSWFB | | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|------------------------------|---|-------|---------------------|--------------|---|---|--|-------------------------------------|------------------|------|------|------|------|------|
| 1B (Extreme) | 39 | Allambie Heights Urban South | Southern Cross Drive Allambie Heights NSW | MDA 4 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 65 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS. Refer to the Manly Warringah Memorial Park Bush Fire Plan of Management | LGA; Private | RFS | | X | | X | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--------------------------|---------------------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1B (Extreme) | 40 | Allenby Park Urban South | Allenby Park Pde Allambie Heights NSW | MDA 4 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 3 | Inspect and Clear around reservoirs. | Inspect and clear around reservoirs as determined by Sydney Water | Other | Sydney Water | | X | X | X | X | X |
| | | | | | | 66 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | | X | | X | | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|----------------------------|----------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1B (Extreme) | 41 | Frenchs Forest Urban North | Frenchs Forest | MDA 3 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 5 | Inspect and clear around power Staunton's | Energy Australia to inspect and clear power Staunton's (towers) as required. | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 67 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; Private | RFS | X | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|------------|----------------|-----|--------------|--------------|---|---|-----------------------|--------------|------------------|------|------|------|------|------|
| 1B (Extreme) | | | | | Preparedness | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X |
| | | | | | | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |
| | | | | | | 59 | Manage CFU (s) as per NSWFB Policy. | | NSWFB | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--|-----------------------------|-------|------------------------|--------------|--|--|--|---|---------------------|------|------|------|------|------|
| 1B (Extreme) | 42 | Barkala Rd / Cabbage Tree Rd Rural | Barkala Road Bayview NSW | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 68 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | | X | | X | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |
| | | | | | | 59 | Manage CFU (s) as per NSWFB Policy. | | NSWFB | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-------------------------|-----------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1B (Extreme) | 43 | Stapleton Park Urban | Riviera Ave Avalon | MDA 1 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 69 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | | X | | X | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-------------------------|---------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1B (Extreme) | 44 | Angophora Reserve Urban | Hilltop Road Avalon | MDA 1 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 70 | Inspect APZ and treat as determined | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | X | X | X | X | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |
| | | | | | | 59 | Manage CFU (s) as per NSWFB Policy. | | NSWFB | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|---------------------------------|------------------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1B (Extreme) | 45 | Oxford Falls Valley South Rural | Oxford Falls Road Oxford Falls NSW | MDA 3 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 71 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; LGA; Private | RFS | X | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|---------------------------------|------------------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1B (Extreme) | 46 | Oxford Falls Valley North Rural | Oxford Falls Road Oxford Falls NSW | MDA 3 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 72 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; Private | RFS | | X | | X | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|---------------------------------|--------------------------------|-------|------------------------|--------------|---|--|--|---|---------------------|------|------|------|------|------|
| 1B (Extreme) | 47 | Davidson Urban South East | Oxley Drive Davidson NSW | MDA 3 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 73 | Inspect APZ and treat as determined. | Inspect APZ and treat as determined in conjunction with the RFS. | LPMA;DECCW ; Private | RFS | X | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | X | X | X | X | X | |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | X | X | X | X | X | |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |
| | | | | | | 59 | Manage CFU (s) as per NSWFB Policy. | | NSWFB | | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|---------------------|----------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1B (Extreme) | 48 | McKay Reserve Urban | Palm Beach | MDA 1 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 3 | Inspect and Clear around reservoirs. | Inspect and clear around reservoirs as determined by Sydney Water | Other | Sydney Water | | X | X | X | X | X |
| | | | | | | 74 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | X | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-------------------------|-------------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1B (Extreme) | 49 | Belrose (East) Urban | Perentee Road Belrose. NSW | MDA 3 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 5 | Inspect and clear around power Staunton's | Energy Australia to inspect and clear power Staunton's (towers) as required. | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 75 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; LGA; Private | | RFS | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |
| | | | | | | 59 | Manage CFU (s) as per NSWFB Policy. | | NSWFB | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-----------------------------|--------------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1B (Extreme) | 50 | North Balgowlah Urban North | Manning Street North Balgowlah | MDA 4 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 76 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | X | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |
| | | | | | | 59 | Manage CFU (s) as per NSWFB Policy. | | NSWFB | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|------------------------------|--------------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1B (Extreme) | 51 | Willandra Retirement Village | Willandra Road Beacon Hill NSW | MDA 3 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 77 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; LGA; Private | RFS | | X | | X | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|------------------------|-------------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1B (Extreme) | 52 | Woorarra Reserve Urban | Woorarra Road Elanora Heights | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 79 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | X | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|----------------------|----------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1B (Extreme) | 53 | Algona Reserve Urban | De Laurett Ave | MDA 1 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 78 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | X | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|---------------------------------------|----------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1B (Extreme) | 54 | Mimosa Primary / Davidson High School | Mimosa Street | MDA 3 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 80 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | Other | Dept of Education | RFS | X | | X | | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--------------------------|------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1B (Extreme) | 55 | Allenby Park Urban North | Allenby Park Brookvale | MDA 4 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 81 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | | X | | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |
| | | | | | | 59 | Manage CFU (s) as per NSWFB Policy. | | NSWFB | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|---|---------------------------------|-------------------------------------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1C (Extreme) | 0 | Cultural site 4 | Various | MDA 1; MDA 2; MDA 3; MDA 4 | | | | | | | | | | | | |
| | 56 | Warriewood Escarpment / Valley North Urban / Industrial | Boundary Road Warriewood Valley | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 82 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | | X | | X | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|----------------------------|--------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1C (Extreme) | 57 | Cromer Heights Urban South | Cromer Heights NSW | MDA 3 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 83 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; LGA; Private | RFS | X | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | X | X | X | X | X | |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--------------------------------|---|-------|------------------------|--------------|--|---|--|---|---------------------|------|------|------|------|------|
| 1C (Extreme) | 58 | McCarrs Creek Road Rural | McCarrs Creek Road Terrey Hills NSW 2084 | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 3 | Inspect and Clear around reservoirs. | Inspect and clear around reservoirs as determined by Sydney Water | Other | Sydney Water | | X | X | X | X | X |
| | | | | | | 84 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | DECCW; Private | RFS | X | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | X | X | X | X | X | |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-----------------------------------|-----------------------------------|-------|------------------------|--------------|---|--|--|---|---------------------|------|------|------|------|------|
| 1C (Extreme) | 59 | Forestville Park Urban East | Bantry Road Forestville NSW | MDA 4 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 85 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; DECCW; Private | RFS | | X | | X | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|------------|----------------|-----|--------------|-------------------------------------|--|---|-----------------------|----------|------------------|------|------|------|------|------|
| 1C (Extreme) | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |
| | | | | 14 | | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | | X | X | X | X | X |
| | | | | 59 | | Manage CFU (s) as per NSWFB Policy. | | | | NSWFB | | | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 | |
|---------------------------|-------------|-------------------------------|-------------------|-------------------------------------|------------------|---------------------|---|--|----------------------|------------------|------------------|------|------|------|------|------|---|
| 1C (Extreme) | 60 | Water Reservoirs | Various Locations | MDA 1; MDA 2; MDA 3; MDA 4 | Hazard Reduction | 2 | Inspect and maintain around major pipeline. | Inspect and clear around major pipelines as determined by Sydney Water. | Other | Sydney Water | | X | X | X | X | X | |
| | | | | | | 3 | Inspect and Clear around reservoirs. | Inspect and clear around reservoirs as determined by Sydney Water | Other | Sydney Water | | X | X | X | X | X | |
| | 61 | Sydney Water Pipe Line | Various Locations | MDA 3 | Hazard Reduction | 2 | Inspect and maintain around major pipeline. | Inspect and clear around major pipelines as determined by Sydney Water. | Other | Sydney Water | | X | X | X | X | X | |
| | 62 | Energy Australia Sub Stations | Various Locations | MDA 1; MDA 2; MDA 3; MDA 4 | Hazard Reduction | 5 | Inspect and clear around power Staunton's | Energy Australia to inspect and clear power Staunton's (towers) as required. | Other | Energy Australia | | X | X | X | X | X | |
| | | | | | | 86 | Inspect APZ and treat as determined. | Inspect and clear around sub stations as determined by Energy Australia. | Private | RFS | | X | | X | | X | |
| | | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | | 6 | Inspect and maintain near power lines as required | | Other | Transgrid | | X | X | X | X | X |
| | | | | | | | 7 | Inspect and maintain near Staunton's as required | | Other | Transgrid | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-----------------|---------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1C (Extreme) | 63 | Cultural site 1 | | MDA 1 | | | | | | | | | | | | |
| | 64 | Red Hill Urban | Red Hill / Beacon Hill | MDA 3 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 87 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; LGA; Private | RFS | X | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | X | X | X | X | X | |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|----------------------------|--------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1C (Extreme) | 65 | Cromer Heights Urban North | Cromer Heights NSW | MDA 3 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 88 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; LGA; Private | | RFS | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |
| | | | | | | 59 | Manage CFU (s) as per NSWFB Policy. | | NSWFB | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-----------------------------|--------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1C (Extreme) | 66 | Elanora Heights North Urban | Irrawong / Garden Street | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 89 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | | X | | X | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |
| | | | | | | 59 | Manage CFU (s) as per NSWFB Policy. | | NSWFB | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--|-------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1C (Extreme) | 67 | Wesley Gardens Nursing Home & Retirement Village | Morgan Road Belrose NSW | MDA 3 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 90 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; Private | RFS | | X | | X | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|----------------|----------------------|-------|---------------------|--------------|---|---|--|-------------------------------------|------------------|------|------|------|------|------|
| 1C (Extreme) | 68 | Mackerel Beach | Great Mackerel Beach | MDA 1 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 91 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; DECCW; Private | RFS | X | | X | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 8 | Patrol National Park on New Years Eve. | Develop and Implement a plan to Patrol National Park on New Years Eve as determined in consultation (RFS/DECCW) dependant on the Bush Fire Danger | DECCW; RFS; Police | | | X | X | X | X | X |
| | | | | | | 9 | Close NP on days of Total Fire Ban | On days of Total Fire Ban, in consultation with RFS Fire Control Officer, consider closing the West Head Road Gate and Fire Trails | DECCW | | RFS | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|---------------------------------|-------------------|-----------------|---------------------|--------------|---|--|----------------------|------------------|------------------|------|------|------|------|------|
| 1C (Extreme) | 69 | Power Lines and Support Towers. | Various Locations | MDA 2; MDA 3 | Hazard Reduction | 5 | Inspect and clear around power Staunton's | Energy Australia to inspect and clear power Staunton's (towers) as required. | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 6 | Inspect and maintain near power lines as required | | Other | Transgrid | | X | X | X | X | X |
| | | | | | | 7 | Inspect and maintain near Staunton's as required | | Other | Transgrid | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|------------------------|---|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1C (Extreme) | 70 | Austlink Business Park | Forest Way x Mona Vale Road Belrose | MDA 3 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 92 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA;DECCW ; Private | RFS | X | | X | | X | |
| | | | | | Ignition Management | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 | |
|---------------------------|-------------|---|----------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|---|
| 1C (Extreme) | 71 | Terrey Hills Rural South Rural / Industrial | Terrey Hills | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X | |
| | | | | | | 15 | Community Notice Board. | Install and Maintain Community notice board at Terrey Hills Rural Fire Station with current information detailed in the annual RFS community education strategy. | RFS | | | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X | X |
| | | | | | | 93 | Inspect & Treat APZ as Required | Inspect APZ and treat priorities as determined in conjunction with the RFS. | LPMA; LGA; DECCW; Private | | RFS | | X | | X | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X | |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X | |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-------------------------|---------------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 1C (Extreme) | 72 | Sydney Academy of Sport | Wakehurst Parkway Narrabeen NSW | MDA 3 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 94 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; Private | RFS | X | | | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--------------------------|--------------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 2A (Very High) | 73 | Brickworks Reserve Urban | Warringah Road Beacon Hill NSW | MDA 4 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 95 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | | X | | | | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | X | X | X | X | X | |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|----------------------------|---------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 2A (Very High) | 74 | Lyndhurst Way Estate Urban | Lyndhurst Way Belrose NSW | MDA 3 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | | 97 | Implement Community Engagement Program | Implement Community Engagement Program as detailed in the annual RFS community education strategy. | RFS | | | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 5 | Inspect and clear around power Staunton's | Energy Australia to inspect and clear power Staunton's (towers) as required. | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 96 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; LGA; Private | | RFS | X | | | | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|----------------------------|----------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 2A (Very High) | 75 | Wyatt Avenue Rural / Urban | Wyatt Avenue Belrose | MDA 3 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 98 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | | X | | | | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 6 | Inspect and maintain near power lines as required | | Other | Transgrid | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|------------|----------------|-----|--------------|--------------|--|---|-----------------------|--------------|------------------|------|------|------|------|------|
| 2A (Very High) | 75 | | | | | 7 | Inspect and maintain near Staunton's as required | | Other | Transgrid | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 | | |
|---------------------------|-------------|---|-------------------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|--|---|
| 2A (Very High) | 76 | Mona Vale Road / McCarrs Creek Rd Urban | Mona Vale Road / McCarrs Creek Road | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X | | |
| | | | | | | 15 | Community Notice Board. | Install and Maintain Community notice board at Terrey Hills Rural Fire Station with current information detailed in the annual RFS community education strategy. | RFS | | | X | X | X | X | X | | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X | | |
| | | | | | | 3 | Inspect and Clear around reservoirs. | Inspect and clear around reservoirs as determined by Sydney Water | Other | Sydney Water | | X | X | X | X | X | | |
| | | | | | | 99 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; LGA; Private | | RFS | | X | | | | | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X | | |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X | | |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X | | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-------------------------|-------------------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 2A (Very High) | 77 | Jindabyne Reserve Urban | Jindabyne Street Frenchs Forest NSW | MDA 3 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 100 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | | X | | | | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--------------------------------|--------------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 2A (Very High) | 78 | Jamieson Park Urban North East | Jamieson Park Collaroy Plateau | MDA 3 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 101 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | | X | | | | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|----------------------------|---------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 2A (Very High) | 79 | Anzac Avenue Reserve Urban | Hendy Avenue Collaroy NSW | MDA 3 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 102 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | X | | | X | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-------------------------|----------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 2B (Very High) | 80 | Sydney East Sub Station | Belrose | MDA 3 | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 5 | Inspect and clear around power Staunton's | Energy Australia to inspect and clear power Staunton's (towers) as required. | Other | Energy Australia | X | X | X | X | X | |
| | | | | | | 103 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | Other | Transgrid | X | X | X | X | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | X | X | X | X | X | |
| | | | | | | 6 | Inspect and maintain near power lines as required | | Other | Transgrid | X | X | X | X | X | |
| | | | | | | 7 | Inspect and maintain near Staunton's as required | | Other | Transgrid | X | X | X | X | X | |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--------------------------|--|-------|---------------------|--------------|---|---|--|-------------------------------------|------------------|------|------|------|------|------|
| 2B (Very High) | 81 | Terrey Hills South Urban | Cooyong and Lartoki Roads Terrey Hills | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 104 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; LGA; Private | | RFS | | X | | | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-------------------------|-----------------------|-------|---------------------|--------------|---|---|--|-------------------------------------|------------------|------|------|------|------|------|
| 2C (Very High) | 82 | Walter Road North Rural | Walter Road Ingleside | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 105 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | Private | RFS | | X | | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | X | X | X | X | X | |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | X | X | X | X | X | |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--------------------------|------------------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 2C (Very High) | 83 | Warringah Aquatic Centre | Aquatic Drive Allambie Heights NSW | MDA 4 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 106 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | X | | | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | X | X | X | X | X | |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 | |
|---------------------------|-------------|------------------------------------|-------------------------------------|-------|---------------------|--------------|---|---|--|-------------------------------------|------------------|------|------|------|------|------|---|
| 2C (Very High) | 84 | Terrey Hills Doppler Radar | Mona Vale x Forest Way Terrey Hills | MDA 2 | Hazard Reduction | 107 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | Private | | RFS | | X | | | X | |
| | 85 | Barrenjoey Headland and Lighthouse | Palm Beach | MDA 1 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X | |
| | | | | | | 108 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | DECCW | | RFS | | X | | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X | |
| | | | | | | 8 | Patrol National Park on New Years Eve. | Develop and Implement a plan to Patrol National Park on New Years Eve as determined in consultation (RFS/DECCW) dependant on the Bush Fire Danger | DECCW; RFS; Police | | | X | X | X | X | X | |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X | |
| | | | | | | 109 | Close NP on days of Total Fire Ban | On days of Total Fire Ban, in consultation with RFS Fire Control Officer, consider closing Barrenjoey Headland | DECCW | | RFS | X | X | X | X | X | |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | X | X | X | X | X | | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 | |
|---------------------------|-------------|----------------|----------------------------------|-------|------------------|---------------------|--|--|--|-------------------------------------|------------------|------|------|------|------|------|---|
| 2C (Very High) | 86 | Mona Vale Road | Belrose, Terrey Hills, Ingleside | MDA 2 | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X | |
| | | | | | | Ignition Management | 6 | Inspect and maintain near power lines as required | | Other | Transgrid | | X | X | X | X | X |
| | | | | | | | 7 | Inspect and maintain near Staunton's as required | | Other | Transgrid | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-----------------------------|---------------------------|-------|---------------------|---|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 2C (Very High) | 87 | Ingleside Training Facility | Ingleside Road, Ingleside | MDA 2 | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | 88 | Akuna Bay Marina | Akuna Bay NSW | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | LPMA; LGA; DECCW | | X | X | X | X | X |
| | | | | | | 110 | Bushfire information boards | Bushfire information boards at key tourist locations including West Head, Illawong Bay and Barrenjoey Light House. | DECCW | RFS | | X | X | X | X | |
| | | | | | | 111 | Hand out Bushfire safety brochures. | Hand out Bushfire safety brochure during bushfire season at National Parks collector boxes | DECCW | | X | X | X | X | X | |
| | | | | | | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | X | X | X | X | X | |
| | | | | | 8 | Patrol National Park on New Years Eve. | Develop and Implement a plan to Patrol National Park on New Years Eve as determined in consultation (RFS/DECCW) dependant on the Bush Fire Danger | DECCW; RFS; Police | | X | X | X | X | X | | |
| | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | X | X | X | X | X | | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--|----------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 3A (High) | 89 | West Head Resolute lookout / picnic area | West Head | MDA 1 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 110 | Bushfire information boards | Bushfire information boards at key tourist locations including West Head, Illawong Bay and Barrenjoey Light House. | DECCW | RFS | | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | Ignition Management | 9 | Close NP on days of Total Fire Ban | On days of Total Fire Ban, in consultation with RFS Fire Control Officer, consider closing the West Head Road Gate and Fire Trails | DECCW | RFS | X | X | X | X | X | |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 | | | |
|---------------------------|-------------|------------------------------|------------------------|-------|---------------------|--------------|---|---|----------------------|------------------|------------------|------|------|------|------|------|---|--|--|
| 3B (High) | 90 | Greenway Duffys Forest Urban | Greenway Duffys Forest | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X | | | |
| | | | | | Hazard Reduction | 112 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | | RFS | | | X | | | | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | | X | X | X | X | X | | |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X | | | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | | X | X | X | X | X | | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|----------------------------------|------------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 3B (High) | 91 | Optus Belrose Satellite Facility | Challenger Drive Belrose NSW | MDA 3 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 | | | |
|---------------------------|-------------|---|--------------------------------|-------|---------------------|--------------|---|---|--|-------------------------------------|------------------|-----------|-----------|------|------|------|---|---|---|
| 3B (High) | 92 | Sydney German School / Terrey Hills Swim Centre | Myoora Road | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X | | | |
| | | | | | Hazard Reduction | 114 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | Private | | RFS | | | | | X | | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | | X | X | X | X | X | | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | Other | Sydney Water | | | X | X | X | X | X | | |
| | 93 | Telstra Satellite Earth Station | Oxford Falls Road Oxford Falls | MDA 3 | Community Education | 58 | Implement Community Education Program. | | NSWFB | | | LPMA; LGA | X | X | X | X | X | | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | | | NSWFB;RFS | X | X | X | X | X | |
| | | | | | | 115 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; Private | | RFS | X | | | | | | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--|------------------------------------|--------------|---------------------|-----------------------------------|--|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 3B (High) | 94 | Optus Oxford Falls Earth Station | Oxford Falls Road Oxford Falls NSW | MDA 3 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 115 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; Private | RFS | X | | | | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | 95 | Warriewood Wetlands Urban / Commercial | Warriewood Valley | MDA 2 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 116 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | | X | | | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--|------------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 3B (High) | 96 | Betty Morrison Reserve Urban | Bungan Head Road Bungan Head | MDA 1 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 113 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | | RFS | | X | | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |
| | 97 | Brookvale / Warringah Mall Industrial / Commercial | Brookvale West | MDA 4 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-------------------------------|----------------|-------|---------------------|--------------|---|---|----------------------|------------------|------------------|------|------|------|------|------|
| 3B (High) | 98 | AGBU Alexander Primary School | Namba Road | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|---|----------------|-------|---------------------|--------------|---|--|----------------------|------------------|------------------|------|------|------|------|------|
| 3C (High) | 99 | Wakehurst Parkway / Warringah Road Urban / Commercial | Frenchs Forest | MDA 3 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 2 | Inspect and maintain around major pipeline. | Inspect and clear around major pipelines as determined by Sydney Water. | Other | Sydney Water | X | X | X | X | X | |
| | | | | | | 118 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private; RTA | RFS | X | | | | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--------------------------------------|-------------------------------------|-------|---------------------|--------------|---|--|----------------------|------------------|------------------|------|------|------|------|------|
| 3C (High) | 100 | Sydney Japanese School | Booralie Road Terrey Hills NSW 2084 | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | X | X | X | X | X | |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | X | X | X | X | X | | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |
| | 101 | Peninsula Gardens Retirement Village | Cabbage Tree Road Mona Vale | MDA 2 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 119 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; Private | RFS | | | X | | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 | | |
|---------------------------|-------------|------------------------------------|-------------------------------|-------|---------------------|--------------|---|--|----------------------|------------------|------------------|------|------|------|------|------|--|---|
| 3C (High) | 102 | Bayview Gardens Retirement Village | Cabbage Tree Road Bayview NSW | MDA 2 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X | | |
| | | | | | Hazard Reduction | 120 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | Private | | RFS | | | | | | | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | X | X | X | X | X | | | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | | | |
| | 103 | Walana / Samuel Street Urban | Mona Vale | MDA 2 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X | | |
| | | | | | Hazard Reduction | 123 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA; Private | | RFS | | | X | | | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | X | X | X | X | X | | | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | | | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 | |
|---------------------------|-------------|-------------------------------|-------------------------|-------|---------------------|--------------|---|--|----------------------|------------------|------------------|------|------|------|------|------|---|
| 3C (High) | 104 | Morella Park Urban | Morella Road Palm Beach | MDA 1 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 121 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | | RFS | X | | | | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | | X | X | X | X | X |
| | 105 | Careel Headland Reserve Urban | Careel Bay | MDA 1 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 122 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | | RFS | | X | | | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 | | | |
|---------------------------|-------------|-------------------------------|------------------------------------|-------|---------------------|--------------|---|--|----------------------|------------------|------------------|------|------|------|------|------|---|--|--|
| 3C (High) | 106 | Newport Heights Reserve Urban | Lower Plateau Road Bilgola Plateau | MDA 1 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X | | | |
| | | | | | Hazard Reduction | 124 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | | RFS | | | X | | | | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | | X | X | X | X | X | | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | | X | X | X | X | X | | |
| | 107 | Collaroy Escarpment Urban | Edgecliff Bvd Collaroy Plateau NSW | MDA 3 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X | | | |
| | | | | | Hazard Reduction | 125 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | | RFS | | | | | X | | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | | X | X | X | X | X | | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | | X | X | X | X | X | | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--|------------------------------------|-------|---------------------|--------------|---|--|----------------------|------------------|------------------|------|------|------|------|------|
| 3C (High) | 108 | Oxford Falls Grammar / Christian City Church | Wakehurst Parkway Oxford Falls NSW | MDA 3 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | X | X | X | X | X | |
| | 109 | Woodland Reserve Urban | Waratah Street, Mona Vale | MDA 2 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 117 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | | | X | | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-----------------------|----------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 3D (High) | 110 | The Basin Picnic Area | The Basin | MDA 1 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 110 | Bushfire information boards | Bushfire information boards at key tourist locations including West Head, Illawong Bay and Barrenjoey Light House. | DECCW | RFS | | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | Ignition Management | 9 | Close NP on days of Total Fire Ban | On days of Total Fire Ban, in consultation with RFS Fire Control Officer, consider closing the West Head Road Gate and Fire Trails | DECCW | RFS | X | X | X | X | X | |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--------------|-----------------------------|-------|---------------------|--------------|---|---|--|-------------------------------------|------------------|------|------|------|------|------|
| 3D (High) | 111 | NSW Gun Club | Booralie Road Duffys Forest | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 126 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | Private | RFS | | | | | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |
| | 112 | Forest Way | Belrose | MDA 3 | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|----------------------------------|------------------------|-------|---------------------|--------------|---|---|--|-------------------------------------|------------------|------|------|------|------|------|
| 3D (High) | 113 | Duffy's Forest RFS / Horse Arena | Duffys Forest NSW 2084 | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|------------------------------------|-----------------------------------|-------|---------------------|--------------|---|---|--|-------------------------------------|------------------|------|------|------|------|------|
| 3D (High) | 114 | Monash / Elanora Golf Course | Ingleside / Elanora Heights | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 127 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | DECCW; Private | RFS | X | | | | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | X | X | X | X | X | |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | X | X | X | X | X | |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|------------------------------|----------------------------|-------|---------------------|--------------|---|---|--|-------------------------------------|------------------|------|------|------|------|------|
| 3D (High) | 115 | Waratah Park Earth Sanctuary | Namba Road, Duffy's Forest | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 128 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | DECCW; Private | | RFS | | X | | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|---------------------|-----------------------------|-------|---------------------|--------------|---|---|--|-------------------------------------|------------------|------|------|------|------|------|
| 3C (High) | 116 | St Ives Pistol Club | Mona Vale Road Terrey Hills | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | | 129 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | DECCW; Private | | RFS | | | | | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 | |
|---------------------------|-------------|---|--|------------|---------------------|---|---|--|--|-------------------------------------|------------------|------------------|------|------|------|------|---|
| 3D (High) | 117 | Kimbriki Waste Centre | Kimbriki Road Terrey Hills NSW 2084 | MDA 2 | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X | |
| | | | | | | 130 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA; Private | RFS | | | | X | | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X | |
| | 118 | Illawong Picnic Area | General San Martin Drive | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | | 110 | Bushfire information boards | Bushfire information boards at key tourist locations including West Head, Illawong Bay and Barrenjoey Light House. | DECCW | RFS | | X | X | X | X | | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X | |
| Ignition Management | | | | | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X | | |
| | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X | | | | | | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-------------------------------------|-------------------------|-------|---------------------|--------------|---|---|--|-------------------------------------|------------------|------|------|------|------|------|
| 3D (High) | 119 | Manly Dam Picnic Areas | Manly Dam | MDA 4 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |
| | 120 | Warringah Radio Control Flying Club | Off Morgan Road Belrose | MDA 3 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | Ignition Management | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X |
| | | | | | | | | | | | | | | | | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 | |
|---------------------------|--------------|--|-----------------------------------|--|---------------------|--------------|---|---|--|-------------------------------------|------------------|------|------|------|------|------|---|
| 3D (High) | 121 | Warringah Pittwater Emergency Control Centre | Thompson Drive Terrey Hills | MDA 2 | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X | |
| | | | | | | 132 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LGA | RFS | | | | X | | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | | X | X | X | X | X |
| | 122 | Terrey Hills Par 3 / Golf Driving Range | Myoora Road, Terrey Hills | MDA 2 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | LPMA; LGA; DECCW | | | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X | |
| | | | | | | 131 | Inspect APZ and treat as determined. | Inspect APZ and treat priorities as determined in conjunction with the RFS | LPMA;DECCW ; Private | RFS | | | | | X | | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | | X | X | X | X | X |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | | X | X | X | X | X |
| | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | | X | X | X | X | X | | | | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--|----------------|-------|------------------|--------------|--|--|--|---|------------------|------|------|------|------|------|
| 3D (High) | 123 | Manly Dam / Uni of NSW Water Lab | Manly Vale | MDA 4 | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | Preparedness | 59 | Manage CFU (s) as per NSWFB Policy. | | NSWFB | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|------------------------|---|-------|---------------------|--------------|---|--|----------------------|------------------|------------------|------|------|------|------|------|
| 4 (Medium) | 124 | Narroy Park Urban | Rickard Road North Narrabeen NSW | MDA 2 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |
| | 125 | Anana Reserve Urban | Anana Road Elanora Heights | MDA 2 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |
| | 126 | Kundibah Park Urban | Kundibah Road Elanora Road Elanora Heights NSW | MDA 2 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-----------------------|-------------------------------------|-------|---------------------|--------------|---|--|----------------------|------------------|------------------|------|------|------|------|------|
| 4 (Medium) | 127 | McCarrs Creek Reserve | McCarrs Creek Road McCarrs Creek | MDA 1 | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | 128 | Sunrise Road Urban | Palm Beach | MDA 1 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |
| | 129 | Hitchcock Park Urban | Careel Bay | MDA 1 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|----------------------|------------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 4 (Medium) | 130 | Plateau Park Urban | Plateau Road Bilgola Plateau | MDA 1 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |
| | 131 | Palmgrove Park Urban | Palmgrove Road Avalon NSW | MDA 1 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 | |
|---------------------------|-------------|----------------------|-----------------------------------|-------|---------------------|--------------|---|--|--|---|------------------|------|------|------|------|------|---|
| 4 (Medium) | 132 | Lincoln Ave Urban | Lincoln Ave Collaroy NSW | MDA 3 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X | |
| | 133 | South Creek Urban | South Creek Road Cromer NSW | MDA 3 | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | Other | Sydney Water | | | X | X | X | X | X |
| | | | | | Community Education | 58 | Implement Community Education Program. | | NSWFB | | LPMA; LGA | X | X | X | X | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--|----------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 4 (Medium) | 134 | Lillihina Reserve Urban | Chester Place Narraweena | MDA 3 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |
| | 135 | South Creek South / Egan Reserve Urban | Willandra Road Beacon Hill | MDA 3 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 | |
|---------------------------|-------------|---|----------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|---|
| 4 (Medium) | 136 | Gov Phillip Lookout / Beacon Hill Reserve Urban | Warringah Road Beacon Hill | MDA 3 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X | |
| | 137 | Stony Range Flora Reserve Urban | Pittwater Road Dee Why NSW | MDA 4 | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | Other | Sydney Water | | | X | X | X | X | X |
| | | | | | Community Education | 58 | Implement Community Education Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | NSWFB | | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-----------------------|---------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 4 (Medium) | 138 | Wingala Reserve Urban | Headland Road Dee Why NSW | MDA 4 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | Preparedness | 11 | Inspect & Maintain Fire Trail Register | Inspect and Maintain a Fire Trail register (BFMC) to show the condition of all fire trails. | LPMA; LGA; DECCW; RFS | | X | X | X | X | X | |
| | | | | | | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |
| | 139 | Harbord Road Urban | Harbord Road Harbord NSW | MDA 4 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|----------------------------------|----------------------------|-------|---------------------|--------------|---|--|----------------------|------------------|------------------|------|------|------|------|------|
| 4 (Medium) | 140 | Hews Reserve Urban | Hews Parade Belrose NSW | MDA 3 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | X | X | X | X | X | |
| | 141 | Frenchs Forest Cemetery Urban | Hakea Avenue Belrose | MDA 3 | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | Other | Sydney Water | | X | X | X | X | X |
| | | | | | Community Education | 58 | Implement Community Education Program. | | NSWFB | LPMA; LGA | X | X | X | X | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-------------------------------------|-----------------------------|-------|---------------------|--------------|---|--|--|---|------------------|------|------|------|------|------|
| 4 (Medium) | 142 | Mimosa St / Kens Rd Urban | Kens Road | MDA 3 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |
| | 143 | Forestville War Memorial Park Urban | Melwood Ave Forestville NSW | MDA 4 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 | |
|---------------------------|-------------|----------------------------|----------------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|---|
| 4 (Medium) | 144 | Irrubel Road Urban | Wallumatta Road Newport | MDA 1 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | | | X | X | X | X |
| | 145 | Cultural site 2 | | MDA 1 | | | | | | | | | | | | | |
| | 146 | Dee Why Lagoon Urban North | Dee Why Lagoon North Dee Why NSW | MDA 3 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 | |
|---------------------------|-------------|--|--------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|-----------|------|------|------|------|---|
| 4 (Medium) | 147 | Belrose Waste Management Centre / Quarry | Crozier Road Belrose NSW | MDA 3 | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X | |
| | 148 | Warriewood Shopping Centre | Warriewood | MDA 2 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X | |
| | | | | | | | | | | | | | | | | | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|--------------------------|--------------------------------------|-------------------|------------------|---------------------|--|--|--|--|-------------------------------------|------------------|------|------|------|------|------|
| 4 (Medium) | 149 | Warriewood Valley Urban / Rural East | Warriewood Valley | MDA 2 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | Other | Sydney Water | | X | X | X | X | X |
| | 150 | Dee Why Headland Urban | Dee Why Headland | MDA 4 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| 151 | Bantry Bay Military Area | Bantry Bay | MDA 4 | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 | |
|---------------------------|-------------|---|---|-------|---------------------|--------------|---|--|--|---|------------------|-----------|------|------|------|------|---|
| NA (Low) | 152 | Terrey Hills Golf Course | Booralie Road Terrey Hills NSW 2084 | MDA 2 | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X | |
| | | | | | Ignition Management | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | | | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X | |
| | 153 | Turimetta/North Narrabeen Head Reserves Urban | Turimetta Head Warriewood NSW | MDA 2 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|--------------------------|----------------------------|-------|---------------------|--------------|---|--|----------------------|------------------|------------------|------|------|------|------|------|
| NA (Low) | 154 | Mona Vale Cemetery Urban | Samuel Street Mona Vale | MDA 2 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |
| | 155 | Loquat Valley Urban | Lentara Road Loquat Valley | MDA 2 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |
| | 156 | Rowland Reserve Urban | Pittwater Road Bayview | MDA 2 | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 | |
|---------------------------|-------------|--------------------------------|----------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|-----------|------|------|------|------|---|
| NA (Low) | 157 | Crown of Newport Reserve Urban | Sybil Street Newport | MDA 1 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X | |
| | 158 | Dee Why Lagoon Urban South | Dee Why Lagoon Dee Why NSW | MDA 3 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | | LPMA; LGA | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|----------------------------------|------------------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| NA (Low) | 159 | Cromer Golf Course | Cromer Road Cromer NSW | MDA 3 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |
| | 160 | Davidson Picnic Area / Boat Ramp | Warringah Road Roseville Bridge | MDA 4 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | X | X | X | X | X | |
| | | | | | | 10 | Patrol National Park on days of Total Fire Bans | On days of Total Fire Bans patrol high visitation areas of National Parks. | DECCW; RFS | X | X | X | X | X | | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | X | X | X | X | X | |

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 | | |
|---------------------------|-------------|---------------------------------|---|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|-----------|------|------|------|------|---|---|
| NA (Low) | 161 | Greenpoint Sports Foundation | Off Killarney Drive Killarney Heights NSW | MDA 4 | Community Education | 12 | Implement Community Education Program. | Implement Community Education Program as detailed in the annual RFS community education strategy. | RFS | | LPMA; LGA; DECCW | X | X | X | X | X | | |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | | | X | X | X | X | X |
| | 162 | Wakehurst Golf Course Clubhouse | Upper Clontarf Street North Balgowlah NSW | MDA 4 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | | LPMA; LGA | X | X | X | X | X | |
| | | | | | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X | X | |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | | | X | X | X | X | X |
| | | | | | Preparedness | 14 | Inspect & Maintain Water Hydrants | Develop an annual inspection and maintenance program in consultation with the BFMC | Other | Sydney Water | | | | X | X | X | X | X |


**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**

| Priority (Risk Rating) | Location ID | Asset Name | Asset Location | MDA | Strategy | Treatment ID | Action Description | Comment | Responsible Agencies | Other RA | Support Agencies | 1011 | 1112 | 1213 | 1314 | 1415 |
|---------------------------|-------------|-----------------------------------|-----------------------------|-------|---------------------|--------------|---|--|--|-------------------------------------|------------------|------|------|------|------|------|
| NA (Low) | 163 | Greenwoods Quarry | Mona Vale Road Terrey Hills | MDA 2 | Hazard Reduction | 1 | Develop & Implement HR Mosaic Burning Program. | Develop annual BFMC HR burning program and implement prescription burning as prioritised by BFMC | LPMA; LGA; DECCW; NSWFB; Private; RFS; Other | RTA, Energy Australia, Sydney Water | NSWFB;RFS | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | 164 | Bayview Golf Course | Pittwater Road Bayview | MDA 2 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |
| | 165 | Mona Vale Electricity Sub Station | Samuel Street Mona Vale | MDA 2 | Community Education | 58 | Implement Community Education Program. | In NSWFB District implement Community Education as detailed in the annual NSWFB Community Education Strategy | NSWFB | | LPMA; LGA | X | X | X | X | X |
| | | | | | Ignition Management | 4 | Inspect and maintain near power lines as required | | Other | Energy Australia | | X | X | X | X | X |


Appendix 4

Maps 1 - 4

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**




**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**



**Bush Fire Coordinating Committee – Policy No 1/2008
Adopted by the Bush Fire Coordinating Committee - Minute No. 24/2008
Page 188 of 189**

**Annex A to
Bush Fire Coordinating Committee
Policy No. 1/2008
Bush Fire Risk Management**



**Bush Fire Coordinating Committee – Policy No 1/2008
Adopted by the Bush Fire Coordinating Committee - Minute No. 24/2008
Page 189 of 189**