

**THREATENED SPECIES HAZARD REDUCTION LIST – PART 1 - PLANTS**

Scientific Name	Common Name	Listed on TSC Act	Listed on EPBC Act	Species Specific Conditions relating to the use of Fire	Species Specific Conditions relating to Mechanical Forms of Hazard Reduction
<i>Acacia acanthoclada</i>	Harrow Wattle	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Acacia acronastes</i>	Pindari Wattle	Endangered		No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Acacia atrox</i>	Myall Creek Wattle	Endangered		No fire	No slashing, trittering or tree removal
<i>Acacia ausfeldii</i>	Ausfeld's Wattle	Vulnerable		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Acacia bakeri</i>	Marblewood	Vulnerable		No fire	No slashing, trittering or tree removal
<i>Acacia baueri</i> subsp. <i>aspera</i>	<i>Acacia baueri</i> subsp. <i>aspera</i>	Vulnerable		No fire more than once every 7 years	Only to 50 cm after March
<i>Acacia bynoeana</i>	Bynoe's Wattle	Endangered	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Acacia carneorum</i>	Purple-wood Wattle	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Acacia chrysotricha</i>	Newry Golden Wattle	Endangered		No fire more than once every 25 years	No slashing, trittering or tree removal
<i>Acacia clunies-rossiae</i>	Kanangra Wattle	Vulnerable		No fire more than once every 12 years	No slashing, trittering or tree removal
<i>Acacia constable</i>	Narrabarba Wattle	Vulnerable	Vulnerable	No fire more than once every 7 years (but no prescribed fire where this species occurs in State Forest Flora Reserves)	No slashing, trittering or tree removal
<i>Acacia courtii</i>	North Brother Wattle	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Acacia curranii</i>	Curly-bark Wattle	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Acacia dangarensis</i>	<i>Acacia dangarensis</i>	Endangered		No fire more than once every 15 years	No slashing, trittering or tree removal
<i>Acacia flocktoniae</i>	Flockton Wattle	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Acacia georgensis</i>	Bega Wattle	Vulnerable	Vulnerable	No fire more than once every 20 years	No slashing, trittering or tree removal
<i>Acacia gordonii</i>	<i>Acacia gordonii</i>	Endangered	Endangered	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Acacia jucunda</i>	Yetman Wattle	Endangered		No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Acacia macnuttiana</i>	MacNutt's Wattle	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Acacia notabilis</i>	Mallee Golden Wattle	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Acacia pendula</i> - endangered population	<i>Acacia pendula</i> population in the Hunter catchment	Endangered Population		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Acacia petraea</i>	Lancewood	Endangered		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Acacia phasmoides</i>	Phantom Wattle	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Acacia prominens</i> - endangered population	Gosford Wattle, Hurstville and Kogarah Local Government Areas	Endangered Population		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Acacia pubescens</i>	Downy Wattle	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Acacia pubifolia</i>	Velvet Wattle	Endangered	Vulnerable	No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Acacia pycnostachya</i>	Bolivia Wattle	Vulnerable	Vulnerable	No fire more than once every 15 years	No slashing, trittering or tree removal
<i>Acacia rivalis</i>	Creek Wattle	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Acacia ruppii</i>	Rupp's Wattle	Endangered	Endangered	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Acacia terminalis</i> subsp. <i>terminalis</i>	Sunshine Wattle	Endangered	Endangered	No fire more than once every 7 years	No slashing, trittering or tree removal

Please Note: This List is to be applied with reference to the "Rules and Notes for the implementation of the Threatened Species Hazard Reduction List for the Bush Fire Environmental Assessment Code"; and Conditions for plant species are to be addressed within the area bounded by at least 100 metres from the centre point of the identified location. This List was compiled on 25th September 2013.

Scientific Name	Common Name	Listed on TSC Act	Listed on EPBC Act	Species Specific Conditions relating to the use of Fire	Species Specific Conditions relating to Mechanical Forms of Hazard Reduction
<i>Acalypha eremorum</i>	Acalypha	Endangered		No fire	No slashing, trittering or tree removal
<i>Acronychia littoralis</i>	Scented <i>Acronychia</i>	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Acrophyllum australe</i>	<i>Acrophyllum australe</i>	Vulnerable	Vulnerable	No fire more than once every 15 years	No slashing, trittering or tree removal
<i>Aldrovanda vesiculosa</i>	Waterwheel Plant	Endangered		No fire	No slashing, trittering or tree removal
<i>Alexfloydia repens</i>	Floyd's Grass	Endangered		No fire more than once every 12 years	No slashing, trittering or tree removal
<i>Allocasuarina defungens</i>	Dwarf Heath Casuarina	Endangered	Endangered	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Allocasuarina glareicola</i>	<i>Allocasuarina glareicola</i>	Endangered	Endangered	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Allocasuarina portuensis</i>	Nielsen Park She-oak	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Allocasuarina simulans</i>	Nabiatic Casuarina	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Almaleea cambagei</i>	Torrington Pea	Endangered	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Ammobium craspedioides</i>	Yass Daisy	Vulnerable	Vulnerable	No fire more than once every 5 years	No removal of trees
<i>Amphibromus fluitans</i>	Floating Swamp Wallaby-grass	Vulnerable	Vulnerable	No fire more than once every 6 years	No removal of trees
<i>Amyema plicatula</i>	<i>Amyema plicatula</i>	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Ancistrachne maidenii</i>	<i>Ancistrachne maidenii</i>	Vulnerable		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Angiopteris evecta</i>	Giant Fern	Endangered		No fire	No slashing, trittering or tree removal
<i>Angophora exul</i>	Gibraltar Rock Apple	Endangered		No fire	No slashing, trittering or tree removal
<i>Angophora inopina</i>	Charmhaven Apple	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Angophora robur</i>	Sandstone Rough-barked Apple	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Aponogeton queenslandicus</i>	<i>Aponogeton queenslandicus</i>	Endangered		No fire	No slashing, trittering or tree removal
<i>Archidendron hendersonii</i>	White Lace Flower	Vulnerable		No fire	No slashing, trittering or tree removal
<i>Arthraxon hispidus</i>	Hairy Jointgrass	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Arthropteris palisotii</i>	Lesser Creeping Fern	Endangered		No fire	No slashing, trittering or tree removal
<i>Asperula asthenes</i>	Trailing Woodruff	Vulnerable	Vulnerable	No fire adjacent to watercourses	No slashing, trittering or tree removal adjacent to watercourses
<i>Asterolasia buxifolia</i>	<i>Asterolasia buxifolia</i>	Endangered		No fire	No slashing, trittering or tree removal
<i>Asterolasia elegans</i>	<i>Asterolasia elegans</i>	Endangered	Endangered	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Asterolasia</i> sp. 'Dungowan Creek'	Dungowan Starbush	Endangered		No fire more than once every 25 years	No slashing, trittering or tree removal
<i>Astrotricha cordata</i>	Heart-leaved Star Hair	Endangered		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Astrotricha crassifolia</i>	Thick-leaf Star-hair	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal adjacent to watercourses
<i>Astrotricha roddii</i>	Rodd's Star Hair	Endangered	Endangered	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Astrotricha</i> sp. <i>Wallagaraugh</i>	Merimbula Star-hair	Endangered		No fire more than once every 7 years	Slashing, but no trittering or tree removal
<i>Atriplex infrequens</i>	A saltbush	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Atriplex sturtii</i>	A saltbush	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Austrostipa metatoris</i>	A spear-grass	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Austrostipa nullanulla</i>	A spear-grass	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Austrostipa wakoolica</i>	A spear-grass	Endangered	Endangered	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Baeckea kandos</i>	<i>Baeckea kandos</i>	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Baloghia marmorata</i>	Jointed Baloghia	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Baloskion longipes</i>	Dense Cord-rush	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Banksia conferta</i> subsp. <i>conferta</i>	<i>Banksia conferta</i> subsp. <i>conferta</i>	Critically Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal

Please Note: This List is to be applied with reference to the "Rules and Notes for the implementation of the Threatened Species Hazard Reduction List for the Bush Fire Environmental Assessment Code"; and Conditions for plant species are to be addressed within the area bounded by at least 100 metres from the centre point of the identified location. This List was compiled on 25th September 2013.

Scientific Name	Common Name	Listed on TSC Act	Listed on EPBC Act	Species Specific Conditions relating to the use of Fire	Species Specific Conditions relating to Mechanical Forms of Hazard Reduction
<i>Belvisia mucronata</i>	Needle-leaf Fern	Endangered		No fire	No slashing, trittering or tree removal
<i>Bertya ingramii</i>	Narrow-leaved Bertya	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Bertya opposens</i>	Coolabah Bertya	Vulnerable	Vulnerable	No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Bertya</i> sp. (Chambigne NR, M. Fatemi 24)	Chambigne Bertya	Endangered		No fire	No slashing, trittering or tree removal
<i>Bertya</i> sp. (Clouds Creek, M. Fatemi 4)	<i>Bertya</i> sp. (Clouds Creek, M. Fatemi 4)	Endangered		No fire more than once every 20 years	No slashing, trittering or tree removal
<i>Boronia boliviensis</i>	Bolivia Hill Boronia	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Boronia deanei</i>	Deane's Boronia	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Boronia granitica</i>	Granite Boronia	Vulnerable	Endangered	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Boronia hapalophylla</i>	Shannon Creek Boronia	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Boronia repanda</i>	Granite Rose	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Boronia ruppilii</i>	Rupp's Boronia	Endangered		No fire	No slashing, trittering or tree removal
<i>Boronia umbellata</i>	Orara Boronia	Vulnerable	Vulnerable	No fire more than once every 25 years in wet sclerophyll forest, and no fire more than once every 10 years in semi-mesic grassy forest	No slashing, trittering or tree removal
<i>Bosistoa transversa</i>	Yellow Satinheart	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Bossiaea bombayensis</i>	Bombay Bossiaea	Vulnerable		No fire	No slashing, trittering or tree removal
<i>Bossiaea fragrans</i>	<i>Bossiaea fragrans</i>	Critically Endangered		No fire	No slashing, trittering or tree removal
<i>Bossiaea oligosperma</i>	Few-seeded Bossiaea	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Brachyscome ascendens</i>	Border Ranges Daisy	Endangered		No fire	No slashing, trittering or tree removal
<i>Brachyscome muelleroides</i>	Claypan Daisy	Vulnerable	Vulnerable	No fire more than once every 6 years	No slashing, trittering or tree removal
<i>Brachyscome papillosa</i>	Mossgiel Daisy	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Budawangia gnidioides</i>	Budawang's Cliff-heath	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Bulbophyllum globuliforme</i>	Hoop Pine Orchid	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Cadellia pentastylis</i>	Ooline	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Caesia parviflora</i> var. <i>minor</i>	Small Pale Grass-lily	Endangered		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Caladenia arenaria</i>	Sand-hill Spider Orchid	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Caladenia concolor</i>	Crimson Spider Orchid	Endangered	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Caladenia rosella</i>	Rosella Spider Orchid	Presumed Extinct	Endangered	No fire	No slashing, trittering or tree removal
<i>Caladenia tessellata</i>	Thick Lip Spider Orchid	Endangered	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Callistemon linearifolius</i>	Netted Bottle Brush	Vulnerable		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Callistemon megalongensis</i>	Megalong Valley Bottlebrush	Critically Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Callitriche cyclocarpa</i>	Western Water-starwort	Vulnerable	Vulnerable	No fire more than once every 6 years	No slashing, trittering or tree removal
<i>Callitris baileyi</i>	Bailey's Cypress Pine	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Callitris endlicheri</i> - endangered population	Black Cypress Pine, Woronora Plateau population	Endangered Population		No fire more than once every 20 years	No slashing, trittering or tree removal
<i>Callitris oblonga</i>	Pygmy Cypress Pine	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Calochilus pulchellus</i>	Pretty Beard Orchid	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Calomnion complanatum</i>	<i>Calomnion complanatum</i>	Endangered		No fire	No slashing, trittering or tree removal
<i>Calotis glandulosa</i>	Mauve Burr-daisy	Vulnerable	Vulnerable	No fire more than once every 5 years	No slashing, trittering or tree removal

Please Note: This List is to be applied with reference to the "Rules and Notes for the implementation of the Threatened Species Hazard Reduction List for the Bush Fire Environmental Assessment Code"; and Conditions for plant species are to be addressed within the area bounded by at least 100 metres from the centre point of the identified location. This List was compiled on 25th September 2013.

Scientific Name	Common Name	Listed on TSC Act	Listed on EPBC Act	Species Specific Conditions relating to the use of Fire	Species Specific Conditions relating to Mechanical Forms of Hazard Reduction
<i>Calotis moorei</i>	A burr-daisy	Endangered	Endangered	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Calotis pubescens</i>	Max Mueller's Burr-daisy	Endangered		No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Calystegia affinis</i>	Lord Howe Island Morning Glory	Critically Endangered	Critically Endangered	No fire	No slashing, trittering or tree removal
<i>Capparis canescens</i>	Wild Orange	Endangered		No fire	No slashing, trittering or tree removal
<i>Capparis loranthifolia</i> var. <i>loranthifolia</i>	Narrow-leafed Bumble	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Carex archeri</i>	Archer's Carex	Endangered		No fire	No slashing, trittering or tree removal
<i>Carex klaphakei</i>	Klaphake's Sedge	Endangered		No fire	No slashing, trittering or tree removal
<i>Carex raleighii</i>	Raleigh Sedge	Endangered		No fire	No slashing, trittering or tree removal
<i>Carmichaelia exsul</i>	Lord Howe Island Broom	Endangered		No fire	No slashing, trittering or tree removal
<i>Cassia brewsteri</i> var. <i>marksiana</i>	Brush Cassia	Endangered		No fire	No slashing, trittering or tree removal
<i>Casuarina obesa</i>	Swamp She-oak	Endangered		No fire	No slashing, trittering or tree removal
<i>Centranthera cochinchinensis</i>	Swamp Foxglove	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Chamaesyce psammogeton</i>	Sand Spurge	Endangered		No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Cheilanthes sieberi</i> subsp. <i>pseudovellea</i>	<i>Cheilanthes sieberi</i> subsp. <i>pseudovellea</i>	Endangered		No fire	No slashing, trittering or tree removal
<i>Chiloglottis anaticeps</i>	Bird Orchid	Endangered		No fire	No slashing, trittering or tree removal
<i>Chiloglottis platyptera</i>	Barrington Tops Ant Orchid	Vulnerable		No fire	No slashing, trittering or tree removal
<i>Choricarpia subargentea</i>	Giant Ironwood	Endangered		No fire	No slashing, trittering or tree removal
<i>Chorizema parviflorum</i> - endangered population	<i>Chorizema parviflorum</i> Benth. in the Wollongong and Shellharbour Local Government Areas	Endangered Population		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Clematis fawcettii</i>	Northern Clematis	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Commersonia procumbens</i>	<i>Commersonia procumbens</i>	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Commersonia prostrata</i>	Dwarf Kerrawang	Endangered	Endangered	No fire more than once every 10 years	No slashing more frequently than every 10 years, and no trittering or tree removal
<i>Commersonia rosea</i>	<i>Commersonia rosea</i>	Endangered	Endangered	No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Convolvulus tedmoorei</i>	Bindweed	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Coprosma inopinata</i>	Small-leaved Currant Bush	Endangered		No fire	No slashing, trittering or tree removal
<i>Corchorus cunninghamii</i>	Native Jute	Endangered	Endangered	No fire	No slashing more frequently than every 10 years
<i>Corokia whiteana</i>	Corokia	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Correa baeuerlenii</i>	Chef's Cap Correa	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing more frequently than every 10 years, and no trittering or tree removal
<i>Correa lawrenceana</i> var. <i>genoensis</i>	Genoa River Correa	Endangered	Endangered	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Corybas dowlingii</i>	Red Helmet Orchid	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Corynocarpus rupestris</i> subsp. <i>rupestris</i>	Glenugie Karaka	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Cratystylis conocephala</i>	Bluebush Daisy	Endangered		No fire	No slashing, trittering or tree removal
<i>Crotalaria cunninghamii</i>	Green Bird Flower	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Cryptocarya foetida</i>	Stinking Cryptocarya	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Cryptostylis hunteriana</i>	Leafless Tongue Orchid	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing in autumn, and no more frequently than every 10 years
<i>Cullen parvum</i>	Small Scurf-pea	Endangered		No fire more than once every 7 years	No slashing, trittering or tree removal

Please Note: This List is to be applied with reference to the "Rules and Notes for the implementation of the Threatened Species Hazard Reduction List for the Bush Fire Environmental Assessment Code"; and Conditions for plant species are to be addressed within the area bounded by at least 100 metres from the centre point of the identified location. This List was compiled on 25th September 2013.

Scientific Name	Common Name	Listed on TSC Act	Listed on EPBC Act	Species Specific Conditions relating to the use of Fire	Species Specific Conditions relating to Mechanical Forms of Hazard Reduction
<i>Cupaniopsis serrata</i>	Smooth Tuckeroo	Endangered		No fire	No slashing, trittering or tree removal
<i>Cymbidium canaliculatum</i> - endangered population	<i>Cymbidium canaliculatum</i> population in the Hunter Catchment	Endangered Population		Low intensity fire only. Flame height must be less than 1 metre	No slashing, trittering or tree removal
<i>Cynanchum elegans</i>	White-flowered Wax Plant	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Cyperus aquatilis</i>	Water Nutgrass	Endangered		No fire more than once every 6 years	No slashing, trittering or tree removal
<i>Cyperus conicus</i>	<i>Cyperus conicus</i>	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Cyperus rupicola</i>	Cliff Sedge	Vulnerable		No fire	No slashing, trittering or tree removal
<i>Cymbidium canaliculatum</i> - endangered population	<i>Cymbidium canaliculatum</i> population in the Hunter Catchment	Endangered Population		Low intensity fire only. Flame height must be less than 1 metre	No slashing, trittering or tree removal
<i>Cynanchum elegans</i>	White-flowered Wax Plant	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Cyperus aquatilis</i>	Water Nutgrass	Endangered		No fire more than once every 6 years	No slashing, trittering or tree removal
<i>Cyperus conicus</i>	<i>Cyperus conicus</i>	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Cyperus rupicola</i>	Cliff Sedge	Vulnerable		No fire	No slashing, trittering or tree removal
<i>Cyperus semifertilis</i>	Missionary Nutgrass	Endangered	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Dampiera fusca</i>	Kydra Dampiera	Endangered		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Daphnandra johnsonii</i>	Illawarra Socketwood	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Darwinia biflora</i>	<i>Darwinia biflora</i>	Vulnerable	Vulnerable	No fire more than once every 10 years	Slashing only to 100 cm, and no trittering or tree removal
<i>Darwinia fascicularis</i> subsp. <i>oligantha</i> - endangered population	<i>Darwinia fascicularis</i> subsp. <i>oligantha</i> population in the Baulkham Hills and Hornsby Local Government Areas	Endangered Population		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Darwinia glaucophylla</i>	<i>Darwinia glaucophylla</i>	Vulnerable		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Darwinia peduncularis</i>	<i>Darwinia peduncularis</i>	Vulnerable		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Davidsonia jerseyana</i>	Davidson's Plum	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Davidsonia johnsonii</i>	Smooth Davidson's Plum	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Dendrobium melaleucaphilum</i>	Spider orchid	Endangered		No fire	No slashing, trittering or tree removal
<i>Dendrocide moroides</i>	Gympie Stinger	Endangered		No fire	No slashing, trittering or tree removal
<i>Dentella minutissima</i>	<i>Dentella minutissima</i>	Endangered		No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Derwentia blakelyi</i>	<i>Derwentia blakelyi</i>	Vulnerable		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Desmodium acanthocladum</i>	Thorny Pea	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Desmodium campylocaulon</i>	Creeping Tick-trefoil	Endangered		No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Deyeuxia appressa</i>	<i>Deyeuxia appressa</i>	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Dichanthium setosum</i>	Bluegrass	Vulnerable	Vulnerable	No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Digitaria porrecta</i>	Finger Panic Grass	Endangered		No fire more than once every 2 years	No slashing, trittering or tree removal
<i>Dillwynia glaucula</i>	Michelago Parrot-pea	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Dillwynia tenuifolia</i>	<i>Dillwynia tenuifolia</i>	Vulnerable		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Dillwynia tenuifolia</i> - endangered population	<i>Dillwynia tenuifolia</i> Sieber ex D.C. in the Baulkham Hills local government area	Endangered Population		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Dillwynia tenuifolia</i> - endangered	<i>Dillwynia tenuifolia</i> , Kemps Creek	Endangered Population		No fire more than once every 7 years	No slashing, trittering or tree removal

Please Note: This List is to be applied with reference to the "Rules and Notes for the implementation of the Threatened Species Hazard Reduction List for the Bush Fire Environmental Assessment Code"; and Conditions for plant species are to be addressed within the area bounded by at least 100 metres from the centre point of the identified location. This List was compiled on 25th September 2013.

Scientific Name	Common Name	Listed on TSC Act	Listed on EPBC Act	Species Specific Conditions relating to the use of Fire	Species Specific Conditions relating to Mechanical Forms of Hazard Reduction
population					
<i>Diospyros mabacea</i>	Red-fruited Ebony	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Diospyros major</i> var. <i>ebenus</i>	Shiny-leaved Ebony	Endangered		No fire	No slashing, trittering or tree removal
<i>Diploglottis campbellii</i>	Small-leaved Tamarind	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Dipteracanthus australasicus</i> subsp. <i>corynothecus</i>	<i>Dipteracanthus australasicus</i> subsp. <i>corynothecus</i>	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Discaria nitida</i>	Leafy Anchor Plant	Vulnerable		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Distichlis distichophylla</i>	Australian Saltgrass	Endangered		No fire	No slashing, trittering or tree removal
<i>Diuris aequalis</i>	Buttercup Doubletail	Endangered	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Diuris arenaria</i>	Sand Doubletail	Endangered		No fire	No slashing, trittering or tree removal
<i>Diuris bracteata</i>	<i>Diuris bracteata</i>	Endangered	Extinct	No fire more than once every 10 years and not when above ground	No slashing, trittering or tree removal
<i>Diuris disposita</i>	Willawarrin Doubletail	Endangered		No fire	No slashing, trittering or tree removal
<i>Diuris flavescens</i>	Pale Yellow Doubletail	Critically Endangered	Critically Endangered	No fire	No slashing, trittering or tree removal
<i>Diuris ochroma</i>	Pale Golden Moths	Endangered	Vulnerable	No fire more than once every 10 years and not when above ground	No slashing, trittering or tree removal
<i>Diuris pedunculata</i>	Small Snake Orchid	Endangered	Endangered	No fire more than once every 10 years, and no fire in Spring or Autumn	No slashing, trittering or tree removal
<i>Diuris praecox</i>	Rough Doubletail	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Diuris</i> sp. (Oaklands, D.L. Jones 5380)	Oaklands Diuris	Endangered		No fire	No slashing, trittering or tree removal
<i>Diuris</i> sp. aff. <i>chrysantha</i>	Byron Bay Diuris	Endangered		No fire	No slashing, trittering or tree removal
<i>Diuris tricolor</i>	Pine Donkey Orchid	Vulnerable		No fire	No slashing, trittering or tree removal
<i>Diuris tricolor</i> - endangered population	Pine Donkey Orchid population in the Muswellbrook local government area	Endangered Population		No burning between June and December	No slashing, trittering or tree removal
<i>Diuris venosa</i>	Veined Doubletail	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Dodonaea microzyga</i> var. <i>microzyga</i>	Brilliant Hopbush	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Dodonaea procumbens</i>	Creeping Hop-bush	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Dodonaea sinuolata</i> subsp. <i>acrodentata</i>	A Hopbush	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Dodonaea stenozyga</i>	Desert Hopbush	Critically Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Doryanthes palmeri</i>	Giant Spear Lily	Vulnerable		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Dracophyllum macranthum</i>	<i>Dracophyllum macranthum</i>	Vulnerable		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Drynaria rigidula</i>	Basket Fern	Endangered		No fire	No slashing, trittering or tree removal
<i>Dysphania plantaginella</i>	<i>Dysphania plantaginella</i>	Endangered		No fire	No slashing, trittering or tree removal
<i>Dysphania platycarpa</i>	<i>Dysphania platycarpa</i>	Endangered		No fire more than once every 6 years	No slashing, trittering or tree removal
<i>Eidothea hardeniana</i>	Nightcap Oak	Endangered	Critically Endangered	No fire	No slashing, trittering or tree removal
<i>Elaeocarpus sedentarius</i>	Minyon Quandong	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Elaeocarpus williamsianus</i>	Hairy Quandong	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Eleocharis obicis</i>	Spike-Rush	Vulnerable	Vulnerable	No fire more than once every 6 years	No slashing, trittering or tree removal
<i>Eleocharis tetraquetra</i>	Square-stemmed Spike-rush	Endangered		No fire more than once every 6 years	No slashing, trittering or tree removal
<i>Elyonurus citreus</i>	Lemon-scented Grass	Endangered		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Endiandra floydii</i>	Crystal Creek Walnut	Endangered	Endangered	No fire	No slashing, trittering or tree removal

Please Note: This List is to be applied with reference to the "Rules and Notes for the implementation of the Threatened Species Hazard Reduction List for the Bush Fire Environmental Assessment Code"; and Conditions for plant species are to be addressed within the area bounded by at least 100 metres from the centre point of the identified location. This List was compiled on 25th September 2013.

Scientific Name	Common Name	Listed on TSC Act	Listed on EPBC Act	Species Specific Conditions relating to the use of Fire	Species Specific Conditions relating to Mechanical Forms of Hazard Reduction
<i>Endiandra hayesii</i>	Rusty Rose Walnut	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Endiandra muelleri</i> subsp. <i>bracteata</i>	Green-leaved Rose Walnut	Endangered		No fire	No slashing, trittering or tree removal
<i>Epacris hamiltonii</i>	Epacris hamiltonii	Endangered	Endangered	No fire more than once every 15 years	Slashing only to 100 cm, and no trittering or tree removal
<i>Epacris purpurascens</i> var. <i>purpurascens</i>	<i>Epacris purpurascens</i> var. <i>purpurascens</i>	Vulnerable		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Epacris sparsa</i>	Sparse Heath	Vulnerable	Vulnerable	No fire more than once every 10 years	Only to 100 cm
<i>Eriocaulon australasicum</i>	Austral Pipewort	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Eriocaulon carsonii</i>	Salt Pipewort	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Erodiochrysalis eldredgei</i>	Koonamore Daisy	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Eucalyptus aggregata</i>	Black Gum	Vulnerable		No fire more than once every 15 years	No slashing, trittering or tree removal
<i>Eucalyptus alligatrix</i> subsp. <i>alligatrix</i>	<i>Eucalyptus alligatrix</i> subsp. <i>alligatrix</i>	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Eucalyptus approximans</i>	Barren Mountain Mallee	Vulnerable		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Eucalyptus aquatica</i>	Broad-leaved Sally	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Eucalyptus benthamii</i>	Camden White Gum	Vulnerable	Vulnerable	No fire more than once every 15 years	No slashing, trittering or tree removal
<i>Eucalyptus boliviana</i>	Bolivia Stringybark	Vulnerable		No fire	No slashing, trittering or tree removal
<i>Eucalyptus caleyi</i> subsp. <i>ovendenii</i>	Ovenden's Ironbark	Vulnerable	Vulnerable	No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Eucalyptus camaldulensis</i> - endangered population	<i>Eucalyptus camaldulensis</i> population in the Hunter catchment	Endangered Population		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Eucalyptus camfieldii</i>	Camfield's Stringybark	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Eucalyptus camphora</i> subsp. <i>relicta</i>	Warra Broad-leaved Sally	Endangered		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Eucalyptus cannonii</i>	Capertee Stringybark	Vulnerable		No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Eucalyptus canobolensis</i>	Silver-Leaf Candlebark	Vulnerable	Endangered	No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Eucalyptus castrensis</i>	Singleton Mallee	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Eucalyptus copulans</i>	<i>Eucalyptus copulans</i>	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Eucalyptus corticosa</i>	Creswick Apple Box	Vulnerable		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Eucalyptus dissita</i>	Gibraltar Mallee	Vulnerable		No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Eucalyptus fracta</i>	Broken Back Ironbark	Vulnerable		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Eucalyptus glaucina</i>	Slaty Red Gum	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Eucalyptus imlayensis</i>	Imlay Mallee	Critically Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Eucalyptus kartzoffiana</i>	Araluen Gum	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Eucalyptus langleyi</i>	Albatross Mallee	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Eucalyptus langleyi</i> - endangered population	<i>Eucalyptus langleyi</i> population north of the Shoalhaven River in the Shoalhaven local government area	Endangered Population		No fire	No slashing, trittering or tree removal
<i>Eucalyptus leucoxydon</i> subsp. <i>pruinosa</i>	Boland Yellow Gum	Vulnerable		No fire	No slashing, trittering or tree removal
<i>Eucalyptus macarthurii</i>	Paddys River Box, Camden Woollybutt	Endangered		No fire more than once every 15 years	No slashing, trittering or tree removal
<i>Eucalyptus magnificata</i>	Northern Blue Box	Endangered		No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Eucalyptus mckieana</i>	McKie's Stringybark	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Eucalyptus microcodon</i>	Border Mallee	Endangered		No fire more than once every 7 years	No slashing, trittering or tree removal

Please Note: This List is to be applied with reference to the "Rules and Notes for the implementation of the Threatened Species Hazard Reduction List for the Bush Fire Environmental Assessment Code"; and Conditions for plant species are to be addressed within the area bounded by at least 100 metres from the centre point of the identified location. This List was compiled on 25th September 2013.

Scientific Name	Common Name	Listed on TSC Act	Listed on EPBC Act	Species Specific Conditions relating to the use of Fire	Species Specific Conditions relating to Mechanical Forms of Hazard Reduction
<i>Eucalyptus nicholii</i>	Narrow-leaved Black Peppermint	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Eucalyptus oblonga</i> - endangered population	<i>Eucalyptus oblonga</i> population at Bateau Bay, Forresters Beach and Tumbi Umbi in the Wyong local government area	Endangered Population		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Eucalyptus oresbia</i>	Small-fruited Mountain Gum	Vulnerable		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Eucalyptus pachycalyx</i> subsp. <i>banyabba</i>	Banyabba Shiny-barked Gum	Endangered	Endangered	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Eucalyptus parramattensis</i> subsp. <i>decadens</i>	<i>Eucalyptus parramattensis</i> subsp. <i>decadens</i>	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Eucalyptus parramattensis</i> subsp. <i>parramattensis</i> - endangered population	<i>Eucalyptus parramattensis</i> C. Hall. subsp. <i>parramattensis</i> in Wyong and Lake Macquarie local government areas	Endangered Population		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Eucalyptus parvula</i>	Small-leaved Gum	Endangered	Vulnerable	No fire more than once every 20 years	No slashing, trittering or tree removal
<i>Eucalyptus pulverulenta</i>	Silver-leafed Gum	Vulnerable	Vulnerable	No fire more than once every 15 years	No slashing, trittering or tree removal
<i>Eucalyptus pumila</i>	Pokolbin Mallee	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Eucalyptus recurva</i>	Mongarlowe Mallee	Critically Endangered	Critically Endangered	No fire	No slashing, trittering or tree removal
<i>Eucalyptus robertsonii</i> subsp. <i>hemisphaerica</i>	Robertson's Peppermint	Vulnerable	Vulnerable	No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Eucalyptus rubida</i> subsp. <i>barbigerorum</i>	Blackbutt Candlebark	Vulnerable	Vulnerable	No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Eucalyptus saxatilis</i>	Suggan Buggan Mallee	Endangered		No fire more than once every 20 years	No slashing, trittering or tree removal
<i>Eucalyptus scoparia</i>	Wallangarra White Gum	Endangered	Vulnerable	No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Eucalyptus seeana</i> - endangered population	<i>Eucalyptus seeana</i> population in the Greater Taree local government area	Endangered Population		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Eucalyptus</i> sp. Cattai	<i>Eucalyptus</i> sp. Cattai	Endangered		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Eucalyptus</i> sp. Howes Swamp Creek	<i>Eucalyptus</i> sp. Howes Swamp Creek	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Eucalyptus sturgissiana</i>	Ettrema Mallee	Vulnerable		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Eucalyptus tetrapleura</i>	Square-fruited Ironbark	Vulnerable	Vulnerable	No fire more than once every 25 years	No slashing, trittering or tree removal
<i>Euchiton nitidulus</i>	Shining Cudweed	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Euphorbia sarcostemmoides</i>	Climbing Caustic	Endangered		No fire	No slashing, trittering or tree removal
<i>Euphrasia arguta</i>	<i>Euphrasia arguta</i>	Critically Endangered	Critically Endangered	No fire	No slashing between December to May. No slashing more than once every 3 years. No trittering
<i>Euphrasia bella</i>	Pretty Eyebright	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Euphrasia bowdeniae</i>	<i>Euphrasia bowdeniae</i>	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Euphrasia ciliolata</i>	Polblue Eyebright	Vulnerable		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Euphrasia collina</i> subsp. <i>muelleri</i>	Mueller's Eyebright	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Euphrasia orthocheila</i> subsp. <i>peraspera</i>	Tenterfield Eyebright	Endangered		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Euphrasia scabra</i>	Rough Eyebright	Endangered		No fire	No slashing, trittering or tree removal
<i>Floydia praealta</i>	Ball Nut	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Fontainea australis</i>	Southern Fontainea	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal

Please Note: This List is to be applied with reference to the "Rules and Notes for the implementation of the Threatened Species Hazard Reduction List for the Bush Fire Environmental Assessment Code"; and Conditions for plant species are to be addressed within the area bounded by at least 100 metres from the centre point of the identified location. This List was compiled on 25th September 2013.

Scientific Name	Common Name	Listed on TSC Act	Listed on EPBC Act	Species Specific Conditions relating to the use of Fire	Species Specific Conditions relating to Mechanical Forms of Hazard Reduction
<i>Fontainea oraria</i>	Coastal Fontainea	Critically Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Galium australe</i>	Tangled Bedstraw	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Gaultheria viridicarpa</i> subsp. <i>merinoensis</i>	Mt Merino Waxberry	Vulnerable		No fire	No slashing, trittering or tree removal
<i>Gaultheria viridicarpa</i> subsp. <i>viridicarpa</i>	Green Waxberry	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Geijera paniculata</i>	Axe-Breaker	Endangered		No fire	No slashing, trittering or tree removal
<i>Genoplesium baueri</i>	Bauer's Midge Orchid	Endangered	Endangered	No fire more than once every 10 years. No burning between October and May	No slashing, trittering or tree removal
<i>Genoplesium insignis</i>	Variable Midge Orchid	Endangered	Critically Endangered	No fire	No slashing, trittering or tree removal
<i>Genoplesium littorale</i>	Tuncurry Midge Orchid	Critically Endangered	Critically Endangered	No fire more than once every 5 years. No burning between November and May	No slashing, trittering or tree removal
<i>Genoplesium plumosum</i>	Tallong Midge Orchid	Critically Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Genoplesium rhyoliticum</i>	Rhyolite Midge Orchid	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Genoplesium superbum</i>	Superb Midge Orchid	Endangered		No fire more than once every 8 years. No burning between November and May	No slashing, trittering or tree removal
<i>Genoplesium vernale</i>	East Lynne Midge Orchid	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Gentiana baeuerlenii</i>	Baeuerlen's Gentian	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Gentiana bredboensis</i>	Bredbo Gentian	Critically Endangered	Vulnerable	No fire more than once every 6 years	No slashing, trittering or tree removal
<i>Gentiana wingecarribiensis</i>	Wingecarribee Gentian	Critically Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Gentiana wissmannii</i>	New England Gentian	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Geodorum densiflorum</i>	Pink Nodding Orchid	Endangered		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Gingidia montana</i>	Mountain Angelica	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Glycine clandestina</i> (broad leaf form) - endangered population	<i>Glycine clandestina</i> (broad leaf form) in the Nambucca Local Government Area	Endangered Population		No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Goodenia nocoleche</i>	Nocoleche Goodenia	Endangered		No fire	No slashing, trittering or tree removal
<i>Goodenia occidentalis</i>	Western Goodenia	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Gossia fragrantissima</i>	Sweet Myrtle	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Grammitis stenophylla</i>	Narrow-leaf Finger Fern	Endangered		No fire	No slashing, trittering or tree removal
<i>Grevillea acanthifolia</i> subsp. <i>paludosa</i>	Bog Grevillea	Endangered	Endangered	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Grevillea banyabba</i>	Banyabba Grevillea	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Grevillea beadleana</i>	Beadle's Grevillea	Endangered	Endangered	No fire more than once every 15 years	No slashing, trittering or tree removal
<i>Grevillea caleyi</i>	Caley's Grevillea	Critically Endangered	Endangered	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Grevillea divaricata</i>	Grevillea divaricata	Endangered		No fire	No slashing, trittering or tree removal
<i>Grevillea evansiana</i>	Evans Grevillea	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Grevillea guthrieana</i>	Guthrie's Grevillea	Endangered	Endangered	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Grevillea hilliana</i>	White Yiel Yiel	Endangered		No fire	No slashing, trittering or tree removal
<i>Grevillea iaspicula</i>	Wee Jasper Grevillea	Critically Endangered	Endangered	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Grevillea ilicifolia</i> subsp. <i>ilicifolia</i>	Holly-leaf Grevillea	Critically Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Grevillea juniperina</i> subsp. <i>juniperina</i>	Juniper-leaved Grevillea	Vulnerable		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Grevillea kennedyana</i>	Flame Spider Flower	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Grevillea masonii</i>	Mason's Grevillea	Endangered	Endangered	No fire more than once every 5 years	No slashing, trittering or tree removal

Please Note: This List is to be applied with reference to the "Rules and Notes for the implementation of the Threatened Species Hazard Reduction List for the Bush Fire Environmental Assessment Code"; and Conditions for plant species are to be addressed within the area bounded by at least 100 metres from the centre point of the identified location. This List was compiled on 25th September 2013.

Scientific Name	Common Name	Listed on TSC Act	Listed on EPBC Act	Species Specific Conditions relating to the use of Fire	Species Specific Conditions relating to Mechanical Forms of Hazard Reduction
<i>Grevillea mollis</i>	Soft Grevillea	Endangered	Endangered	No fire more than once every 25 years	No slashing, trittering or tree removal
<i>Grevillea molyneuxii</i>	Wingello Grevillea	Vulnerable	Endangered	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Grevillea obtusiflora</i>	Grevillea obtusiflora	Endangered	Endangered	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Grevillea parviflora</i> subsp. <i>parviflora</i>	Small-flower Grevillea	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Grevillea parviflora</i> subsp. <i>supplicans</i>	<i>Grevillea parviflora</i> subsp. <i>supplicans</i>	Endangered		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Grevillea quadricauda</i>	Four-tailed Grevillea	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Grevillea renwickiana</i>	Nerriga Grevillea	Endangered		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Grevillea rhizomatosa</i>	Gibraltar Grevillea	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Grevillea rivularis</i>	Carrington Falls Grevillea	Endangered	Endangered	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Grevillea scortechinii</i> subsp. <i>sarmentosa</i>	Backwater Grevillea	Vulnerable		No fire more than once every 11 years	No slashing, trittering or tree removal
<i>Grevillea shiressii</i>	<i>Grevillea shiressii</i>	Vulnerable	Vulnerable	No fire more than once every 25 years	No slashing, trittering or tree removal
<i>Grevillea wilkinsonii</i>	Tumut Grevillea	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Gyrostemon thesioides</i>	<i>Gyrostemon thesioides</i>	Endangered		No fire	No slashing, trittering or tree removal
<i>Hakea archaeoides</i>	Big Nellie Hakea	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Hakea dohertyi</i>	Kowmung Hakea	Endangered	Endangered	No fire more than once every 12 years	No slashing, trittering or tree removal
<i>Hakea fraseri</i>	Gorge Hakea	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Hakea pulvinifera</i>	Lake Keepit Hakea	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Haloragis exalata</i> subsp. <i>exalata</i>	Square Raspwort	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Haloragis exalata</i> subsp. <i>velutina</i>	Tall Velvet Sea-berry	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Haloragodendron lucasii</i>	<i>Haloragodendron lucasii</i>	Endangered	Endangered	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Harnieria hygrophiloides</i>	<i>Harnieria hygrophiloides</i>	Endangered		No fire	No slashing, trittering or tree removal
<i>Hibbertia hexandra</i>	Tree Guinea Flower	Endangered		No fire more than once every 25 years, no fire in rainforest	No slashing, trittering or tree removal
<i>Hibbertia marginata</i>	Bordered Guinea Flower	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Hibbertia procumbens</i>	Spreading Guinea Flower	Endangered		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Hibbertia puberula</i>	<i>Hibbertia puberula</i>	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Hibbertia</i> sp. Bankstown	<i>Hibbertia</i> sp. Bankstown	Critically Endangered	Critically Endangered	No fire	No slashing, trittering or tree removal
<i>Hibbertia stricta</i> subsp. <i>furcatula</i>	<i>Hibbertia stricta</i> subsp. <i>furcatula</i>	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Hibbertia superans</i>	<i>Hibbertia superans</i>	Endangered		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Hibbertia tenuifolia</i>	Narrow-leaved Guinea Flower	Endangered		No fire	No slashing, trittering or tree removal
<i>Hicksbeachia pinnatifolia</i>	Red Boppel Nut	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Homopholis belsonii</i>	Belson's Panic	Endangered	Vulnerable	None	No slashing, trittering or tree removal
<i>Homoranthus binghiensis</i>	Binghi Homoranthus	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Homoranthus croftianus</i>	Bolivia Homoranthus	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Homoranthus darwinioides</i>	<i>Homoranthus darwinioides</i>	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Homoranthus lunatus</i>	Crescent-leaved Homoranthus	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Homoranthus prolixus</i>	Granite Homoranthus	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Hypsela sessiliflora</i>	<i>Hypsela sessiliflora</i>	Endangered	Extinct	No fire	No slashing, trittering or tree removal
<i>Indigofera baileyi</i>	Bailey's Indigo	Endangered		No fire more than once every 5 years	No slashing, trittering or tree removal

Please Note: This List is to be applied with reference to the "Rules and Notes for the implementation of the Threatened Species Hazard Reduction List for the Bush Fire Environmental Assessment Code"; and Conditions for plant species are to be addressed within the area bounded by at least 100 metres from the centre point of the identified location. This List was compiled on 25th September 2013.

Scientific Name	Common Name	Listed on TSC Act	Listed on EPBC Act	Species Specific Conditions relating to the use of Fire	Species Specific Conditions relating to Mechanical Forms of Hazard Reduction
<i>Indigofera efoliata</i>	Leafless Indigo	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Indigofera helmsii</i>	Indigo	Endangered		No fire	No slashing, trittering or tree removal
<i>Indigofera leucotricha</i>	Silver Indigo	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Indigofera longibractea</i>	Showy Indigo	Endangered		No fire	No slashing, trittering or tree removal
<i>Ipomoea diamantinensis</i>	Desert Cow-Vine	Endangered		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Ipomoea polymorpha</i>	Silky Cow-Vine	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Irenepharsus magicus</i>	Elusive Cress	Endangered		No fire more than once every 10 years in semi-mesic grassy forest, and no more than once every 25 years in wet sclerophyll forest	No slashing, trittering or tree removal
<i>Irenepharsus trypherus</i>	Illawarra Irene	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Isoglossa eranthemoides</i>	Isoglossa	Endangered	Endangered	No fire more than once every 10 years in semi-mesic grassy forest, and no fire in rainforest	No slashing, trittering or tree removal
<i>Isopogon fletcheri</i>	Fletcher's Drumsticks	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Kardomia granitica</i>	Granite Kardomia (formerly Granite Babingtonia)		Vulnerable	No fire more than once every 20 years	No slashing, trittering or tree removal
<i>Kardomia prominens</i>	<i>Kardomia prominens</i>	Endangered		No fire	No slashing, trittering or tree removal
<i>Kardomia silvestris</i>	Woodland Babingtonia	Endangered		No fire	No slashing, trittering or tree removal
<i>Kennedia retrorsa</i>	<i>Kennedia retrorsa</i>	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Keraudrenia corollata</i> var. <i>denticulata</i> - endangered population	<i>Keraudrenia corollata</i> var. <i>denticulata</i> in the Hawkesbury local government area	Endangered Population		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Kippistia suaedifolia</i>	Fleshy Minuria	Endangered		No fire	No slashing, trittering or tree removal
<i>Kunzea cabbagei</i>	Cabbage Kunzea	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Kunzea rupestris</i>	<i>Kunzea rupestris</i>	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Lasiopetalum behrii</i>	Pink Velvet Bush	Critically Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Lasiopetalum joyceae</i>	<i>Lasiopetalum joyceae</i>	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Lasiopetalum longistamineum</i>	<i>Lasiopetalum longistamineum</i>	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Lastreopsis hispida</i>	Bristly Shield Fern	Endangered		No fire	No slashing, trittering or tree removal
<i>Leionema lachnaeoides</i>	<i>Leionema lachnaeoides</i>	Endangered	Endangered	No fire more than once every 15 years	No slashing, trittering or tree removal
<i>Leionema lamprophyllum</i> subsp. <i>obovatum</i> - endangered population	<i>Leionema lamprophyllum</i> subsp. <i>obovatum</i> population in the Hunter Catchment	Endangered Population		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Leionema ralstonii</i>	Ralston's Leionema	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Leionema sympetalum</i>	Rylstone Bell	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Lepiderema pulchella</i>	Fine-leaved Tuckeroo	Vulnerable		No fire	No slashing, trittering or tree removal
<i>Lepidium aschersonii</i>	Spiny Peppercross	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Lepidium hyssopifolium</i>	Aromatic Peppercross	Endangered	Endangered	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Lepidium monoplocoides</i>	Winged Peppercross	Endangered	Endangered	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Lepidium peregrinum</i>	Wandering Pepper Cress	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Lepidium pseudopapillosum</i>	Formbe Peppercross	Endangered	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Lepidosperma evansianum</i>	Evans Sedge	Vulnerable		No fire	No slashing, trittering or tree removal
<i>Leptorhynchus orientalis</i>	Lanky Buttons	Endangered		No fire more than once every 5 years	No slashing, trittering or tree removal

Please Note: This List is to be applied with reference to the "Rules and Notes for the implementation of the Threatened Species Hazard Reduction List for the Bush Fire Environmental Assessment Code"; and Conditions for plant species are to be addressed within the area bounded by at least 100 metres from the centre point of the identified location. This List was compiled on 25th September 2013.

Scientific Name	Common Name	Listed on TSC Act	Listed on EPBC Act	Species Specific Conditions relating to the use of Fire	Species Specific Conditions relating to Mechanical Forms of Hazard Reduction
<i>Leptorhynchos waitzia</i>	Button Immortelle	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Leptospermum deanei</i>	<i>Leptospermum deanei</i>	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Leptospermum thompsonii</i>	Monga Tea Tree	Vulnerable	Vulnerable	No fire more than once every 20 years	No slashing, trittering or tree removal
<i>Lespedeza juncea</i> subsp. <i>sericea</i> - endangered population	<i>Lespedeza juncea</i> subsp. <i>sericea</i> in the Wollongong Local Government Area	Endangered Population		No fire	No slashing, trittering or tree removal
<i>Leucopogon confertus</i>	Torrington Beard-heath	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Leucopogon exolasius</i>	Woronora Beard-heath	Vulnerable	Vulnerable	No fire more than once every 13 years (no burning mid-winter)	No slashing, trittering or tree removal
<i>Leucopogon fletcheri</i> subsp. <i>fletcheri</i>	<i>Leucopogon fletcheri</i> subsp. <i>fletcheri</i>	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Lindernia alsinoides</i>	Noah's False Chickweed	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Lindsaea brachypoda</i>	Short-footed Screw Fern	Endangered		No fire	No slashing, trittering or tree removal
<i>Lindsaea fraseri</i>	Fraser's Screw Fern	Endangered		No fire	No slashing, trittering or tree removal
<i>Lindsaea incisa</i>	Slender Screw Fern	Endangered		No fire more than once every 25 years	No slashing, trittering or tree removal
<i>Lysimachia vulgaris</i> var. <i>davurica</i>	Yellow Loosestrife	Endangered		No fire	No slashing, trittering or tree removal
<i>Macadamia tetraphylla</i>	Rough-shelled Bush Nut	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Macrozamia humilis</i>	Inverell Cycad	Endangered		No fire	No slashing, trittering or tree removal
<i>Macrozamia johnsonii</i>	Johnson's Cycad	Endangered		No fire	No slashing, trittering or tree removal
<i>Maireana cheelii</i>	Chariot Wheels	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Marsdenia longiloba</i>	Slender Marsdenia	Endangered	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Marsdenia viridiflora</i> subsp. <i>viridiflora</i> - endangered population	<i>Marsdenia viridiflora</i> R. Br. subsp. <i>viridiflora</i> population in the Bankstown, Blacktown, Camden, Campbelltown, Fairfield, Holroyd, Liverpool and Penrith local government areas	Endangered Population		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Maundia triglochinosides</i>	<i>Maundia triglochinosides</i>	Vulnerable		No fire more than once every 6 years	No slashing, trittering or tree removal
<i>Melaleuca biconvexa</i>	Biconvex Paperbark	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Melaleuca deanei</i>	Deane's Paperbark	Vulnerable	Vulnerable	No fire more than once every 8 years	No slashing, trittering or tree removal
<i>Melaleuca groveana</i>	Grove's Paperbark	Vulnerable		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Melaleuca irbyana</i>	Weeping Paperbark	Endangered		No fire more than once every 25 years	No slashing, trittering or tree removal
<i>Melichrus hirsutus</i>	Hairy Melichrus	Endangered	Endangered	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Melichrus</i> sp. Gibberagee	Narrow-leaf Melichrus	Endangered	Endangered	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Melicope vitiflora</i>	Coast Euodia	Endangered		No fire	No slashing, trittering or tree removal
<i>Micromyrtus blakelyi</i>	<i>Micromyrtus blakelyi</i>	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Micromyrtus grandis</i>	Severn River Heath-myrtle	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Micromyrtus minutiflora</i>	<i>Micromyrtus minutiflora</i>	Endangered	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Microtis angusii</i>	Angus's Onion Orchid	Endangered	Endangered	No fire (at Ingleside)	No slashing, trittering or tree removal (at Ingleside)
<i>Mitrasacme pygmaea</i>	Pygmy Bishop's Hat	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Monotaxis macrophylla</i>	Large-leafed Monotaxis	Endangered		No fire more than once every 25 years	No slashing, trittering or tree removal
<i>Monotoca rotundifolia</i>	Trailing Monotoca	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal

Please Note: This List is to be applied with reference to the "Rules and Notes for the implementation of the Threatened Species Hazard Reduction List for the Bush Fire Environmental Assessment Code"; and Conditions for plant species are to be addressed within the area bounded by at least 100 metres from the centre point of the identified location. This List was compiled on 25th September 2013.

Scientific Name	Common Name	Listed on TSC Act	Listed on EPBC Act	Species Specific Conditions relating to the use of Fire	Species Specific Conditions relating to Mechanical Forms of Hazard Reduction
<i>Muehlenbeckia costata</i>	Scrambling Lignum	Vulnerable		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Muellerina myrtifolia</i>	Myrtle-leaf Mistletoe	Endangered		No fire	No slashing, trittering or tree removal
<i>Myriophyllum implicatum</i>	<i>Myriophyllum implicatum</i>	Critically Endangered		No fire	No slashing, trittering or tree removal
<i>Myrsine richmondensis</i>	Ripple-leaf Muttonwood	Endangered	Endangered	No fire in rainforest, and no fire more than once every 7 years in swamp sclerophyll forest	No slashing, trittering or tree removal
<i>Nematolepis rhytidophylla</i>	Nalbaugh Nematolepis	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing more frequently than every 10 years, and no trittering or tree removal
<i>Neoastelia spectabilis</i>	Silver Sword Lily	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Niemeyera chartacea</i>	Smooth-leaved Plum	Endangered		No fire	No slashing, trittering or tree removal
<i>Niemeyera whitei</i>	Rusty Plum, Plum Boxwood	Vulnerable		No fire	No slashing, trittering or tree removal
<i>Nitella partita</i>	Nitella partita	Endangered		No fire	No slashing, trittering or tree removal
<i>Oberonia complanata</i>	Yellow-flowered King of the Fairies	Endangered		No fire	No slashing, trittering or tree removal
<i>Oberonia titania</i>	Red-flowered King of the Fairies	Vulnerable		No fire	No slashing, trittering or tree removal
<i>Ochrosia moorei</i>	Southern Ochrosia	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Olax angulata</i>	Square-stemmed Olax	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Oldenlandia galioides</i>	<i>Oldenlandia galioides</i>	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Olearia cordata</i>	<i>Olearia cordata</i>	Vulnerable	Vulnerable	No fire more than once every 12 years, and not between February to May	No slashing, trittering or tree removal
<i>Olearia flocktoniae</i>	Dorrigo Daisy Bush	Endangered	Endangered	No fire more than once every 5 years, and no fire in rainforest	No slashing, trittering or tree removal
<i>Osteocarpum scleropterum</i>	Squash Bush	Endangered		No fire	No slashing, trittering or tree removal
<i>Owenia cepiodora</i>	Onion Cedar	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Ozothamnus tessellatus</i>	<i>Ozothamnus tessellatus</i>	Vulnerable	Vulnerable	No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Parsonsia dorrigoensis</i>	Milky Silkpod	Vulnerable	Endangered	No fire	No slashing, trittering or tree removal
<i>Paspalidium grandispiculatum</i>	<i>Paspalidium grandispiculatum</i>	Vulnerable	Vulnerable	None	No slashing, trittering or tree removal
<i>Pelargonium</i> sp. (G.W. Carr 10345)	Omeo Storksbill	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Persoonia bargoensis</i>	Bargo Geebung	Endangered	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Persoonia glaucescens</i>	Mittagong Geebung	Endangered	Vulnerable	No fire more than once every 15 years	No slashing more frequently than every 15 years, and no trittering or tree removal
<i>Persoonia hindii</i>	<i>Persoonia hindii</i>	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Persoonia hirsuta</i>	Hairy Geebung	Endangered	Endangered	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Persoonia marginata</i>	Clandulla Geebung	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Persoonia mollis</i> subsp. <i>maxima</i>	<i>Persoonia mollis</i> subsp. <i>maxima</i>	Endangered	Endangered	No fire more than once every 12 years	No slashing, trittering or tree removal
<i>Persoonia nutans</i>	Nodding Geebung	Endangered	Endangered	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Persoonia pauciflora</i>	North Rothbury Persoonia	Critically Endangered	Critically Endangered	No fire	No slashing, trittering or tree removal
<i>Phaius australis</i>	Southern Swamp Orchid	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Phaius tancarvilleae</i>	Lady Tankerville's Swamp Orchid		Endangered	No fire	No slashing, trittering or tree removal
<i>Phebalium bifidum</i>	<i>Phebalium bifidum</i>	Endangered		No fire	No slashing, trittering or tree removal
<i>Phebalium glandulosum</i> subsp. <i>eglandulosum</i>	Rusty Desert Phebalium	Endangered	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Pherosphaera fitzgeraldii</i>	Dwarf Mountain Pine	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Philothea ericifolia</i>	<i>Philothea ericifolia</i>		Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal

Please Note: This List is to be applied with reference to the "Rules and Notes for the implementation of the Threatened Species Hazard Reduction List for the Bush Fire Environmental Assessment Code"; and Conditions for plant species are to be addressed within the area bounded by at least 100 metres from the centre point of the identified location. This List was compiled on 25th September 2013.

Scientific Name	Common Name	Listed on TSC Act	Listed on EPBC Act	Species Specific Conditions relating to the use of Fire	Species Specific Conditions relating to Mechanical Forms of Hazard Reduction
<i>Philotheca myoporoides</i> subsp. <i>obovatifolia</i>	Mountain Wax-flower	Endangered		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Phyllanthus maderaspatensis</i>	<i>Phyllanthus maderaspatensis</i>	Endangered		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Phyllanthus microcladus</i>	Brush Sauropus	Endangered		No fire	No slashing, trittering or tree removal
<i>Phyllota humifusa</i>	Dwarf Phyllota	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Picris evae</i>	Hawkweed	Vulnerable	Vulnerable	No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Pilularia novae-hollandiae</i>	Austral Pillwort	Endangered		No fire more than once every 6 years	No slashing, trittering or tree removal
<i>Pimelea axiflora</i> subsp. <i>pubescens</i>	Bungonia Rice-flower	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Pimelea curviflora</i> var. <i>curviflora</i>	<i>Pimelea curviflora</i> var. <i>curviflora</i>	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Pimelea elongata</i>	Rice Flower	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Pimelea serpyllifolia</i> subsp. <i>serpyllifolia</i>	Thyme Rice-Flower	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Pimelea spicata</i>	Spiked Rice-flower	Endangered	Endangered	No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Pimelea venosa</i>	Bolivia Hill Pimelea	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Platyzoma microphyllum</i>	Braid Fern	Endangered		No fire	No slashing, trittering or tree removal
<i>Plectranthus alloplectus</i>	Narrow-leaved Plectranthus	Endangered		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Plectranthus nitidus</i>	Nightcap Plectranthus	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Plinthanthesis rodwayi</i>	Budawangs Wallaby Grass	Endangered	Vulnerable	No fire more than once every 10 years	No slashing more frequently than every 10 years, and no trittering or tree removal
<i>Polycarpha spirostylis</i> subsp. <i>glabra</i>	<i>Polycarpha spirostylis</i> subsp. <i>glabra</i>	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Polygala linariifolia</i>	Native Milkwort	Endangered		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Polystichum moorei</i>	Rock Shield Fern	Endangered		No fire	No slashing, trittering or tree removal
<i>Pomaderris adnata</i>	Sublime Point Pomaderris	Endangered		No fire	No slashing, trittering or tree removal
<i>Pomaderris bodalla</i>	Bodalla Pomaderris	Vulnerable		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Pomaderris brunnea</i>	Brown Pomaderris	Endangered	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Pomaderris cotoneaster</i>	Cotoneaster Pomaderris	Endangered	Endangered	No fire	No slashing more frequently than every 10 years, and no trittering or tree removal
<i>Pomaderris delicata</i>	Delicate Pomaderris	Critically Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Pomaderris elachophylla</i>	Lacy Pomaderris	Endangered		No fire more than once every 25 years	No slashing more frequently than every 10 years, and no trittering or tree removal
<i>Pomaderris gilmourii</i> var. <i>cana</i>	Grey Deua Pomaderris	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing more frequently than every 10 years, and no trittering or tree removal
<i>Pomaderris delicata</i>	Delicate Pomaderris	Critically Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Pomaderris elachophylla</i>	Lacy Pomaderris	Endangered		No fire more than once every 25 years	No slashing more frequently than every 10 years, and no trittering or tree removal
<i>Pomaderris gilmourii</i> var. <i>cana</i>	Grey Deua Pomaderris	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing more frequently than every 10 years, and no trittering or tree removal
<i>Pomaderris pallida</i>	Pale Pomaderris	Vulnerable	Vulnerable	No fire more than once every 20 years	No slashing more frequently than every 10 years, and no trittering or tree removal
<i>Pomaderris parrisiae</i>	Parris' Pomaderris	Vulnerable	Vulnerable	No fire more than once every 25 years	No slashing more frequently than every 10 years, and no trittering or tree removal
<i>Pomaderris prunifolia</i> - endangered population	<i>P. prunifolia</i> in the Parramatta, Auburn, Strathfield and Bankstown Local Government Areas	Endangered Population		No fire	No slashing, trittering or tree removal

Please Note: This List is to be applied with reference to the "Rules and Notes for the implementation of the Threatened Species Hazard Reduction List for the Bush Fire Environmental Assessment Code"; and Conditions for plant species are to be addressed within the area bounded by at least 100 metres from the centre point of the identified location. This List was compiled on 25th September 2013.

Scientific Name	Common Name	Listed on TSC Act	Listed on EPBC Act	Species Specific Conditions relating to the use of Fire	Species Specific Conditions relating to Mechanical Forms of Hazard Reduction
<i>Pomaderris queenslandica</i>	Scant Pomaderris	Endangered		No fire more than once every 25 years	No slashing, trittering or tree removal
<i>Pomaderris reperta</i>	Denman Pomaderris	Critically Endangered	Critically Endangered	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Pomaderris sericea</i>	Silky Pomaderris	Endangered	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Pomaderris walshii</i>	Carrington Falls Pomaderris	Critically Endangered		No fire	No slashing, trittering or tree removal
<i>Prasophyllum affine</i>	Jervis Bay Leek Orchid	Endangered	Endangered	No fire more than once every 7 years	No slashing more frequently than every 10 years, and no trittering or tree removal
<i>Prasophyllum bagoense</i>	<i>Prasophyllum bagoense</i>	Critically Endangered	Critically Endangered	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Prasophyllum canaliculatum</i>	Summer Leek Orchid	Critically Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Prasophyllum fuscum</i>	Slaty Leek Orchid	Critically Endangered	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Prasophyllum innubum</i>	<i>Prasophyllum innubum</i>	Critically Endangered	Critically Endangered	No fire	No slashing, trittering or tree removal
<i>Prasophyllum keltonii</i>	Kelton's Leek Orchid	Critically Endangered	Critically Endangered	No fire	No slashing, trittering or tree removal
<i>Prasophyllum pallens</i>	Musty Leek Orchid	Vulnerable		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Prasophyllum petilum</i>	Tarengo Leek Orchid	Endangered	Endangered	No fire more than once every 10 years	No slashing in autumn, and no more frequently than every 10 years, and no trittering or tree removal
<i>Prasophyllum retroflexum</i>	Kiandra Leek Orchid	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Prasophyllum</i> sp. Majors Creek	Majors Creek Leek Orchid	Critically Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Prasophyllum</i> sp. Moama	<i>Prasophyllum</i> sp. Moama	Critically Endangered		No fire	No slashing, trittering or tree removal
<i>Prasophyllum uroglossum</i>	Wingecarribee Leek Orchid	Critically Endangered	Endangered	No fire more than once every 6 years	No slashing, trittering or tree removal
<i>Prostanthera askania</i>	Tranquility Mintbush	Endangered	Endangered	No fire more than once every 25 years	No slashing, trittering or tree removal
<i>Prostanthera cineolifera</i>	Singleton Mint Bush	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Prostanthera cryptandroides</i> subsp. <i>cryptandroides</i>	Wollemi Mint-bush	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Prostanthera densa</i>	Villous Mint-bush	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing more frequently than every 10 years, and no trittering or tree removal
<i>Prostanthera discolor</i>	<i>Prostanthera discolor</i>	Vulnerable	Vulnerable	No fire more than once every 8 years	No slashing, trittering or tree removal
<i>Prostanthera junonis</i>	Somersby Mintbush	Endangered	Endangered	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Prostanthera marifolia</i>	Seaforth Mintbush	Critically Endangered	Critically Endangered	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Prostanthera palustris</i>	Swamp Mint-bush	Vulnerable	Vulnerable	No fire	
<i>Prostanthera spinosa</i>	Spiny Mint-bush	Vulnerable		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Prostanthera staurophylla sensu stricto</i>	Torrington Mint-bush	Endangered	Vulnerable	No fire more than once every 8 years	No slashing, trittering or tree removal
<i>Prostanthera stricta</i>	Mount Vincent Mint-bush	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Pseudanthus ovalifolius</i>	Oval-leafed Pseudanthus	Endangered		No fire	No slashing, trittering or tree removal
<i>Psilotum complanatum</i>	Flat Fork Fern	Endangered		No fire	No slashing, trittering or tree removal
<i>Pterostylis cobarensis</i>	Greenhood Orchid	Vulnerable		No fire	No slashing, trittering or tree removal
<i>Pterostylis cucullata</i>	Leafy Greenhood	Vulnerable	Vulnerable	No fire more often than once every 5 years, and no fire during Spring	No slashing, trittering or tree removal
<i>Pterostylis despectans</i>	<i>Pterostylis despectans</i>	Critically Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Pterostylis elegans</i>	Elegant Greenhood	Vulnerable		No fire	No slashing, trittering or tree removal
<i>Pterostylis gibbosa</i>	Illawarra Greenhood	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Pterostylis metcalfei</i>	Metcalfe's Greenhood	Endangered		No fire	No slashing, trittering or tree removal
<i>Pterostylis nigricans</i>	Dark Greenhood	Vulnerable		No fire	No slashing, trittering or tree removal

Please Note: This List is to be applied with reference to the "Rules and Notes for the implementation of the Threatened Species Hazard Reduction List for the Bush Fire Environmental Assessment Code"; and Conditions for plant species are to be addressed within the area bounded by at least 100 metres from the centre point of the identified location. This List was compiled on 25th September 2013.

Scientific Name	Common Name	Listed on TSC Act	Listed on EPBC Act	Species Specific Conditions relating to the use of Fire	Species Specific Conditions relating to Mechanical Forms of Hazard Reduction
<i>Pterostylis oreophila</i>	Blue-tongued Greenhood	Critically Endangered	Critically Endangered	No fire	No slashing, trittering or tree removal
<i>Pterostylis pulchella</i>	Waterfall Greenhood	Vulnerable	Vulnerable	No fire more than once every 25 years	No slashing, trittering or tree removal
<i>Pterostylis saxicola</i>	Sydney Plains Greenhood	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Pterostylis</i> sp. Botany Bay	Botany Bay Bearded Orchid	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Pterostylis ventricosa</i>	<i>Pterostylis ventricosa</i>	Critically Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Pterostylis vernalis</i>	<i>Pterostylis vernalis</i>	Critically Endangered	Critically Endangered	No fire	No slashing, trittering or tree removal
<i>Pultenaea aristata</i>	Prickly Bush-pea	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Pultenaea baeuerlenii</i>	Budawangs Bush-pea	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing more frequently than every 10 years, and no trittering or tree removal
<i>Pultenaea elusa</i>	Elusive Bush-pea	Critically Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Pultenaea glabra</i>	Smooth Bush-Pea	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Pultenaea humilis</i>	Dwarf Bush-pea	Vulnerable		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Pultenaea maritima</i>	Coast Headland Pea	Vulnerable		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Pultenaea parrisiae</i>	Parris' Bush-pea	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Pultenaea parviflora</i>	<i>Pultenaea parviflora</i>	Endangered	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Pultenaea pedunculata</i>	Matted Bush-pea	Endangered		No fire	No slashing more frequently than every 10 years, and no trittering or tree removal
<i>Pultenaea</i> sp. Genowlan Point	<i>Pultenaea</i> sp. Genowlan Point	Critically Endangered	Critically Endangered	No fire	No slashing, trittering or tree removal
<i>Pultenaea</i> sp. Olinda	<i>Pultenaea</i> sp. Olinda	Endangered		No fire	No slashing, trittering or tree removal
<i>Pultenaea villifera</i> - endangered population	<i>Pultenaea villifera</i> Sieber ex DC. population in the Blue Mountains local government area	Endangered Population		No fire	No slashing, trittering or tree removal
<i>Quassia</i> sp. Mooney Creek	Moonee Quassia	Endangered	Endangered	No fire more than once every 25 years	No slashing, trittering or tree removal
<i>Randia moorei</i>	Spiny Gardenia	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Ranunculus anemoneus</i>	Anemone Buttercup	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Rhizanthella slateri</i>	Eastern Australian Underground Orchid	Vulnerable	Endangered	No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Rhizanthella slateri</i> - endangered population	<i>Rhizanthella slateri</i> (Rupp) M.A. Clem. & Cribb in the Great Lakes local government area	Endangered Population		None	No slashing, trittering or tree removal
<i>Rhynchosia acuminatissima</i>	Pointed Trefoil	Vulnerable		No fire	No slashing, trittering or tree removal
<i>Rotala tripartita</i>	<i>Rotala tripartita</i>	Endangered		No fire	No slashing, trittering or tree removal
<i>Rutidosia heterogama</i>	Heath Wrinklewort	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Rutidosia leiolepis</i>	Monaro Golden Daisy	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Rutidosia leptorrhynchoides</i>	Button Wrinklewort	Endangered	Endangered	No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Rytidosperma pumilum</i>	Feldmark Grass	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Rytidosperma vickeryae</i>	Perisher Wallaby-grass	Endangered		No fire	No slashing, trittering or tree removal
<i>Santalum murrayanum</i>	Bitter Quandong	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Sarcochilus dilatatus</i>	Brown Butterfly Orchid	Endangered		No fire	No slashing, trittering or tree removal
<i>Sarcochilus fitzgeraldii</i>	Ravine Orchid	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Sarcochilus hartmannii</i>	Hartman's Sarcochilus	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Sarcochilus weinthalii</i>	Blotched Sarcochilus	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal

Please Note: This List is to be applied with reference to the "Rules and Notes for the implementation of the Threatened Species Hazard Reduction List for the Bush Fire Environmental Assessment Code"; and Conditions for plant species are to be addressed within the area bounded by at least 100 metres from the centre point of the identified location. This List was compiled on 25th September 2013.

Scientific Name	Common Name	Listed on TSC Act	Listed on EPBC Act	Species Specific Conditions relating to the use of Fire	Species Specific Conditions relating to Mechanical Forms of Hazard Reduction
<i>Scaevola collaris</i>	Fan Flower	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Sclerolaena napiformis</i>	Turnip Copperburr	Endangered	Endangered	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Senecio garlandii</i>	Woolly Ragwort	Vulnerable		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Senecio linearifolius</i> var. <i>dangarensis</i>	<i>Senecio linearifolius</i> var. <i>dangarensis</i>	Endangered		No fire	No slashing, trittering or tree removal
<i>Senecio spathulatus</i>	Coast Groundsel	Endangered		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Senecio squarrosus</i>	Swamp Groundsel	Endangered		No fire	No slashing, trittering or tree removal
<i>Senna acclinis</i>	Rainforest Cassia	Endangered		No fire	No slashing, trittering or tree removal
<i>Sida rohlenae</i>	Shrub Sida	Endangered		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Solanum amourense</i>	<i>Solanum amourense</i>	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Solanum celatum</i>	<i>Solanum celatum</i>	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Solanum karsense</i>	Menindee Nightshade	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Solanum limitare</i>	Border Ranges Nightshade	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Sophora fraseri</i>	Brush Sophora	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Sophora tomentosa</i>	Silverbush	Endangered		No fire	No slashing, trittering or tree removal
<i>Stackhousia clementii</i>	<i>Stackhousia clementii</i>	Endangered		No fire	No slashing, trittering or tree removal
<i>Styphelia perileuca</i>	Montane Green Five-corners	Vulnerable	Vulnerable	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Swainsona adenophylla</i>	Violet Swainson-Pea	Endangered		No fire	No slashing, trittering or tree removal
<i>Swainsona colutoides</i>	Bladder Senna	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Swainsona flavicarinata</i>	Yellow-Keeled Swainsona	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Swainsona murrayana</i>	Slender Darling Pea	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Swainsona plagiotropis</i>	Red Darling Pea	Vulnerable	Vulnerable	No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Swainsona pyrophila</i>	Yellow Swainson-pea	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Swainsona pyrophila</i>	Yellow Swainson-pea	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Swainsona recta</i>	Small Purple-pea	Endangered	Endangered	No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Swainsona sericea</i>	Silky Swainson-pea	Vulnerable		No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Swainsona viridis</i>	Creeping Darling Pea	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Symplocos baeuerlenii</i>	Small-leaved Hazelwood	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Syzygium hodgkinsoniae</i>	Red Lilly Pilly	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Syzygium moorei</i>	Durobby	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Syzygium paniculatum</i>	Magenta Lilly Pilly	Endangered	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Tasmannia glaucifolia</i>	Fragrant Pepperbush	Vulnerable	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Tasmannia purpurascens</i>	Broad-leaved Pepperbush	Vulnerable		No fire	No slashing, trittering or tree removal
<i>Tephrosia filipes</i>	<i>Tephrosia filipes</i>	Vulnerable		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Tetradlea glandulosa</i>	<i>Tetradlea glandulosa</i>	Vulnerable		No fire more than once every 7 years	Slashing only to 100 cm, and no trittering or tree removal
<i>Tetradlea juncea</i>	Black-eyed Susan	Vulnerable	Vulnerable	No fire more than once every 7 years	Slashing only to 100 cm, and no trittering or tree removal
<i>Thelymitra atronitida</i>	Black-hooded Sun Orchid	Critically Endangered		No fire	No slashing, trittering or tree removal
<i>Thelymitra</i> sp. <i>adorata</i>	Wyong Sun Orchid	Critically Endangered	Critically Endangered	No fire	No slashing, trittering or tree removal
<i>Thesium australe</i>	Austral Toadflax	Vulnerable	Vulnerable	No fire more than once every 5 years	No slashing, trittering or tree removal

Please Note: This List is to be applied with reference to the "Rules and Notes for the implementation of the Threatened Species Hazard Reduction List for the Bush Fire Environmental Assessment Code"; and Conditions for plant species are to be addressed within the area bounded by at least 100 metres from the centre point of the identified location. This List was compiled on 25th September 2013.

Scientific Name	Common Name	Listed on TSC Act	Listed on EPBC Act	Species Specific Conditions relating to the use of Fire	Species Specific Conditions relating to Mechanical Forms of Hazard Reduction
<i>Threlkeldia inchoata</i>	Tall Bonefruit	Endangered		No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Tinospora smilacina</i>	Tinospora Vine	Endangered		No fire in rainforest, and no fire more than once every 7 years in dry sclerophyll forest - shrubby	No slashing, trittering or tree removal
<i>Tinospora tinosporoides</i>	Arrow-head Vine	Vulnerable		No fire	No slashing, trittering or tree removal
<i>Trachymene scapigera</i>	Mountain Trachymene	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Triflorensia cameronii</i>	Cameron's Tarenna	Endangered		No fire	No slashing, trittering or tree removal
<i>Triplarina imbricata</i>	Creek Triplarina	Endangered	Endangered	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Triplarina nowraensis</i>	Nowra Heath Myrtle	Endangered	Endangered	No fire more than once every 10 years	No slashing more frequently than every 10 years, and no trittering or tree removal
<i>Tylophora linearis</i>	<i>Tylophora linearis</i>	Vulnerable	Endangered	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Tylophora woollsii</i>	Cryptic Forest Twiner	Endangered	Endangered	No fire more than once every 25 years	No slashing, trittering or tree removal
<i>Typhonium</i> sp. aff. <i>brownii</i>	Stinky Lily	Endangered		No fire	No slashing, trittering or tree removal
<i>Uromyrtus australis</i>	Peach Myrtle	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Velleia perfoliata</i>	<i>Velleia perfoliata</i>	Vulnerable	Vulnerable	No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Viola cleistogamoides</i>	Hidden Violet	Endangered		No fire	No slashing, trittering or tree removal
<i>Wahlenbergia multicaulis</i> - endangered population	Tadgell's Bluebell in the local government areas of Auburn, Bankstown, Baulkham Hills, Canterbury, Hornsby, Parramatta and Strathfield	Endangered Population		No fire more than once every 5 years	No slashing, trittering or tree removal
<i>Wahlenbergia scopulicola</i>	Rock-face Bluebell	Endangered		No fire	No slashing, trittering or tree removal
<i>Westringia davidii</i>	David's Westringia	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing more frequently than every 10 years, and no trittering or tree removal
<i>Westringia kydrensis</i>	Kydra Westringia	Endangered	Endangered	No fire more than once every 20 years	No slashing more frequently than every 10 years, and no trittering or tree removal
<i>Wilsonia backhousei</i>	Narrow-leafed Wilsonia	Vulnerable		No fire	No slashing, trittering or tree removal
<i>Wilsonia rotundifolia</i>	Round-leafed Wilsonia	Endangered		No fire	No slashing, trittering or tree removal
<i>Wollemia nobilis</i>	Wollemi Pine	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Xanthosia scopulicola</i>	<i>Xanthosia scopulicola</i>	Vulnerable		No fire more than once every 15 years	No slashing, trittering or tree removal
<i>Xerochrysum palustre</i>	Swamp Everlasting		Vulnerable	No fire more than once every 15 years	No slashing, trittering or tree removal
<i>Xerothamnella parvifolia</i>	<i>Xerothamnella parvifolia</i>	Endangered	Vulnerable	No fire	No slashing, trittering or tree removal
<i>Xylosma parvifolium</i>	Mountain Xylosma	Endangered		No fire	No slashing, trittering or tree removal
<i>Xylosma terrae-reginae</i>	Queensland Xylosma	Endangered		No fire	No slashing, trittering or tree removal
<i>Zannichellia palustris</i>	<i>Zannichellia palustris</i>	Endangered		No fire	No slashing, trittering or tree removal
<i>Zieria adenodonta</i>	Wollumbin Zieria	Endangered		No fire more than once every 15 years	No slashing, trittering or tree removal
<i>Zieria adenophora</i>	Araluen Zieria	Critically Endangered	Endangered	No fire more than once every 20 years	No slashing more frequently than every 10
<i>Zieria baeuerlenii</i>	Bomaderry Zieria	Endangered	Endangered	No fire more than once every 7 years	No slashing more frequently than every 10
<i>Zieria buxijugum</i>	Box Range Zieria	Critically Endangered	Endangered	No fire more than once every 20 years	No slashing more frequently than every 10
<i>Zieria citriodora</i>	Lemon Zieria	Endangered	Vulnerable	No fire more than once every 10 years	No slashing more frequently than every 10
<i>Zieria covenyi</i>	Coveny's Zieria	Endangered	Endangered	No fire	No slashing, trittering or tree removal
<i>Zieria floydii</i>	Floyd's Zieria	Endangered	Endangered	No fire more than once every 10 years	No slashing, trittering or tree removal

Please Note: This List is to be applied with reference to the "Rules and Notes for the implementation of the Threatened Species Hazard Reduction List for the Bush Fire Environmental Assessment Code"; and Conditions for plant species are to be addressed within the area bounded by at least 100 metres from the centre point of the identified location. This List was compiled on 25th September 2013.

Scientific Name	Common Name	Listed on TSC Act	Listed on EPBC Act	Species Specific Conditions relating to the use of Fire	Species Specific Conditions relating to Mechanical Forms of Hazard Reduction
<i>Zieria formosa</i>	Shapely Zieria	Critically Endangered	Endangered	No fire more than once every 20 years	No slashing more frequently than every 10 years, and no trittering or tree removal
<i>Zieria granulata</i>	Illawarra Zieria	Endangered	Endangered	No fire more than once every 25 years	No slashing, trittering or tree removal
<i>Zieria ingramii</i>	Keith's Zieria	Endangered	Endangered	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Zieria involucrata</i>	<i>Zieria involucrata</i>	Endangered	Vulnerable	No fire more than once every 12 years	No slashing, trittering or tree removal
<i>Zieria lasiocaulis</i>	Willi Willi Zieria	Endangered	Endangered	No fire more than once every 12 years	No slashing, trittering or tree removal
<i>Zieria murphyi</i>	Velvet Zieria	Vulnerable	Vulnerable	No fire more than once every 10 years	No slashing more frequently than every 10 years, and no trittering or tree removal
<i>Zieria obcordata</i>	Zieria obcordata	Endangered	Endangered	No fire more than once every 10 years	No slashing, trittering or tree removal
<i>Zieria parrisiae</i>	Parris' Zieria	Critically Endangered	Endangered	No fire more than once every 20 years	No slashing more frequently than every 10 years, and no trittering or tree removal
<i>Zieria prostrata</i>	Headland Zieria	Endangered	Endangered	No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Zieria smithii</i> - endangered population	Low growing form of <i>Z. smithii</i> , Diggers Head	Endangered Population		No fire more than once every 7 years	No slashing, trittering or tree removal
<i>Zieria tuberculata</i>	Warty Zieria	Vulnerable	Vulnerable	No fire more than once every 20 years	No slashing more frequently than every 10 years, and no trittering or tree removal

Please Note: This List is to be applied with reference to the "Rules and Notes for the implementation of the Threatened Species Hazard Reduction List for the Bush Fire Environmental Assessment Code"; and Conditions for plant species are to be addressed within the area bounded by at least 100 metres from the centre point of the identified location. This List was compiled on 25th September 2013.